

Getty # 5B

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL		Fraction <u>SE</u> <u>SE</u> <u>ne</u> <u>1/4</u> <u>1/4</u> <u>1/4</u>		Section Number <u>30</u>		Township Number <u>T</u> <u>19</u> <u>S</u>		Range Number <u>R</u> <u>4</u> <u>EW</u>	
County: <u>McPherson</u>					Distance and direction from nearest town or city? <u>1 west 1/4 south of Conway, Ks.</u>				
2 WATER WELL OWNER: <u>Getty Oil Co.</u> RR#, St. Address, Box # <u>Conway, Ks. 67434</u> City, State, ZIP Code					Street address of well if located within city? <u>#5B</u> Board of Agriculture, Division of Water Resources Application Number:				
3 DEPTH OF COMPLETED WELL <u>90</u> ft. Bore Hole Diameter <u>12 1/4</u> in. to <u>90</u> ft. and <u>        </u> in. to <u>        </u> ft.									
Well Water to be used as:									
1 Domestic		3 Feedlot		5 Public water supply		8 Air conditioning		11 Injection well	
2 Irrigation		4 Industrial		6 Oil field water supply		9 Dewatering		12 Other (Specify below)	
				7 Lawn and garden only		(10) Observation well			
Well's static water level <u>26</u> ft. below land surface measured on <u>2</u> month <u>18</u> day <u>80</u> year									
Pump Test Data <u>na</u> : Well water was <u>        </u> ft. after <u>        </u> hours pumping <u>        </u> gpm									
Est. Yield <u>        </u> gpm: Well water was <u>        </u> ft. after <u>        </u> hours pumping <u>        </u> gpm									
4 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		Casing Joints: Glued <u>X</u> Clamped <u>        </u>	
(10) PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded <u>        </u>	
				7 Fiberglass				Threaded <u>        </u>	
Blank casing dia <u>4 1/2</u> in. to <u>50</u> ft., Dia <u>        </u> in. to <u>        </u> ft., Dia <u>        </u> in. to <u>        </u> ft.									
Casing height above land surface <u>18</u> in., weight <u>        </u> lbs./ft. Wall thickness or gauge No <u>237</u>									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		11 Other (specify)	
								12 None used (open hole)	
Screen or Perforation Openings Are:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		(8 Saw cut)		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes			
				7 Torch cut		10 Other (specify)			
Screen-Perforation Dia <u>4 1/2</u> in. to <u>90</u> ft., Dia <u>        </u> in. to <u>        </u> ft., Dia <u>        </u> in. to <u>        </u> ft.									
Screen-Perforated Intervals: From <u>50</u> ft. to <u>90</u> ft., From <u>        </u> ft. to <u>        </u> ft., From <u>        </u> ft. to <u>        </u> ft.									
Gravel Pack Intervals: From <u>30</u> ft. to <u>90</u> ft., From <u>        </u> ft. to <u>        </u> ft., From <u>        </u> ft. to <u>        </u> ft.									
5 GROUT MATERIAL: ( 1 Neat cement ) 2 Cement grout 3 Bentonite 4 Other									
Grouted Intervals: From <u>0</u> ft. to <u>30</u> ft., From <u>        </u> ft. to <u>        </u> ft., From <u>        </u> ft. to <u>        </u> ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage		14 Abandoned water well	
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage		(15) Oil well/Gas well	
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage		16 Other (specify below)	
						13 Watertight sewer lines			
Direction from well <u>north west</u> How many feet <u>200</u> ? Water Well Disinfected? Yes <u>hth</u> No									
Was a chemical/bacteriological sample submitted to Department? Yes <u>(No)</u> If yes, date sample was submitted <u>        </u> month <u>        </u> day <u>        </u> year: Pump Installed? Yes <u>(No)</u>									
If Yes: Pump Manufacturer's name <u>        </u> Model No. <u>        </u> HP <u>        </u> Volts <u>        </u>									
Depth of Pump Intake <u>        </u> ft. Pumps Capacity rated at <u>        </u> gal./min.									
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other									
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on <u>2</u> month <u>18</u> day <u>80</u> year									
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>134</u>									
This Water Well Record was completed on <u>3</u> month <u>17</u> day <u>80</u> year under the business name of <u>Rosencrantz-Bemis</u> by (signature) <u>Media Dodson</u>									
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG		
		0	3	Top soil					
		3	21	Clay					
		21	27	Soft sandy clay					
		27	32	Red shale					
		32	35	Red & green shale					
		35	41	Red shale					
		41	60	Red & green shale					
60	62	Soft red shale							
62	90	Green & red shale							
ELEVATION: <u>valley</u>									
Depth(s) Groundwater Encountered 1. <u>26</u> ft. 2. <u>        </u> ft. 3. <u>        </u> ft. 4. <u>        </u> ft. (Use a second sheet if needed)									

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.