LOCATION OF WATER WELL:	Fraction		Section	on Number	Township Num	nber Range	Number
County: McPherson	NE 1/4	SE ¼ NE	C 1/4	30	T 19	S R 4	E(VV)
Distance and direction from nearest to	own or city street a	address of well if locate	d within city?		Lat: 38.37	142987290	
661 Highway 56, Conway							
WATER WELL OWNER: Chevror	n Pine Line Comn	any			- Long: -97.797	^{'51414130} —	
	ournace Place	arry			Doord of Agricult	ure, Division of Wate	r Posouroos
,	n, TX 77401-2324				Application Numb		i Nesources
							
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		MPLETED WELL					
N		water Encountered 1.					
	WELL'S STATIC	WATER LEVEL	ft. be	low land sur	face measured on	mo/day/yr	
	Pump	test data: Well water	was NA	tft. afte	ır h	ours pumping	gpr
NW NE X	Est. Yield N.A	gpm: Well water	was	. , , ft. afte	erh	nours pumping	gpr
2		ter 8 in. to .					
W E		OBE USED AS: 5 F				11 Injection well	
	1 Domestic					12 Other (Speci	
SW SE	l .	4 Industrial 7 I					
	2 Irrigation	a industrial / ا bacteriological sample/	_awn and gard	Concretment	You No.	: If you moldaylyr s	ample was
<u></u>		bacteriological sample	submitted to L	epartment?	r Well Disinfected	, II yes, Hordayryi s	o V
S	submitted			·····			
TYPE OF BLANK CASING USED:		5 Wrought iron				TS: Glued Cla	
1 Steel 3 RMP (SF	₹)	6 Asbestos-Cement	9 Other (s	pecify below)	Welded	
2 PVC 4 ABS		7 Fiberglass			. ,		
lank casing diameter 2	. in. to 23	B ft., Dia	in. to		ft., Dia	in. to	f
asing height above land surface	36	in., weight		lbs./ft.	Wall thickness or	gauge No Sc	h 40
YPE OF SCREEN OR PERFORATION			7)PVC			tos-cement	
1 Steel 3 Stainless		5 Fiberglass	8 RMP	(SR)	11 Other	(specify)	
2 Brass 4 Galvanize		6 Concrete tile	_	(0.1)		used (open hole)	
CREEN OR PERFORATION OPENIN		5 Gauzeo			3 Saw cut	11. None (d	nen hole)
		6 Wire w			9 Drilled holes	11: 140116 (0	per noie)
\ 2			• •				
	ey punched	7 Torch o					
CREEN-PERFORATED INTERVALS:		. 23 ft. to					
		ft. to					
GRAVEL PACK INTERVALS:		. 21 ft. to					
	From	ft. to		ft., Fron	1	to	1
GROUT MATERIAL: 1 Neat	cement (2	Cement grout	3 Bentonii	e 4 (Other		
Grout Intervals: From	. ft. to 1	ft., From 2	2 ft. to	21	ft, From	ft. to	<i></i> 1
Vhat is the nearest source of possible	contamination:			10 Livesto	ock pens	14 Abandoned wa	ater well
1 Septic tank 4 Later	ral lines	7 Pit privy		11 Fuel st	orage	15 Oil well/Gas we	ell
2 Sewer lines 5 Cess		8 Sewage lagoo	n		er storage	16 Other (specify	below)
3 Watertight sewer lines 6 Seep	•	9 Feedyard	211		cide storage	Brine Stora	,
Direction from well? W	rage pit	5 T CCayara			feet? 150		50
FROM TO	LITHOLOGIC L	OG	FROM	TO		GGING INTERVALS	· · · · · · · · · · · · · · · · · · ·
		.00	TION		1 200	SOING INTERVALE	
			 	-			
1 20 Clay, v. silty,		v ~					
20 37 Shale, wthrd	, clayey, Reddi	sh-Gray					
					According to the second		
				TN	IW-16 , Abovegrad	le	
			1 1				

CONTRACTORIS OR LANDONANIES		DNI: This water wall was	(1) construct	od (2) race:	petruoted or (2) all	laged under my jurie	diction
CONTRACTOR'S OR LANDOWNER			(1) construct				
nd was completed on (mo/day/year) .		4/28/2011		and this rec	ord is true to the b	est of my knowledge	and belief.
	se No	4/28/2011		and this rec	ord is true to the bompleted on (mo/da	est of my knowledge	and belief.
			(1) construct				

WATER WELL RECORD Form WWC-5 KSA 82a-1212