WATE:	R WEI	LL RECORD	Form W	WC-5	Division of Wate	r Resources App. N	0	
1 LOC	ATION	OF WATER WELL:	Fraction	1/4 SW 1/4	Section Number	Township No. T 19 S	Range Number R 4 □E ☑W	
	County: McPherson SE 1/4 SW 1/4 SE 1/4 SW Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
				Latitude: .38,391592				
irom	rom nearest town or intersection: If at owner's address, check here .				Longitude: 97.789472 (in decimal degrees)			
					Elevation: 1105	Y	(m decimai degrees)	
2 WATER WELL OWNER: Tony Loving					Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
3	RR#, Street Address, Box #: 734 Moccasin Rd.			GPS unit (Make/Model:)				
ar ar ar			son, Kansas 67460		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	,, -	Wichitel	5011, Natisas 07400		Est. Accuracy:			
3 LOC	ATE WE	LL						
WIT	H AN "X		COMPLETED WELI					
SECT	TION BO	C: Depth(s) Groundwater Encountered (1)						
	N	WELL'S STATIC WATER LEVEL54ft. below land surface measured on mo/day/yr. 5/28/15						
	Pump test data: Well water wasft. after hours pumping gpm							
,,,	EST. YIELD. 20-3gpm. Well water was							
w N	Bore Hole Diameter .9							
l "	WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well							
'	Demostic Deadlet Delifield water cumbly Dewatering Dether (Specific below)							
SV	SW SE							
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes V No							
	S If yes, mo/day/yr sample was submitted							
	1 mile Water well disinfected? \[\vec{\sqrt{Y}} \] Yes \[\sqrt{No} \]							
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot								
☐ Continuous slot								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 21 ft. to98 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well Southeast Distance from well 40.ft								
FROM	ТО	LITHOLOG	IC LOG	FROM			JGGING INTERVALS	
0	1	Topsoil			I DITTO: E.	30 (cont.) <u>or</u> 1 BC	OGINO INTERVINES	
1	16	Clay, brown						
16	19	Limestone rocks w/float	ting shale			<u> </u>		
19	22	Clay, tan/red	ung Shalt					
	90							
22		Shale, red/green						
90	92	Fractured shale						
92	100	Shale						
	L						,	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)5/28/2015 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No 897 This Water Well Record was completed on (mo/day/year) 5/28/15								
under th	e busine	s name ofPeterson.Mo	Nett Drilling, Inc.		by (signature).	San MANOST	-	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5,00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html