LOCATION OF WATER WELL:
Distance and direction from nearest town or city street address of well if located within city?  6 Miles W and 1/2 Mile N of Conway, KS  2 WATER WELL OWNER: Mid America Pipeline Co.  RR#, St. Address, Box # : 1800 South Baltimore Ave.  City, State, ZIP Code : Tulsa, OK 74119  Board of Agriculture, Division of Water Resources Application Number:  3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N  WELL'S STATIC WATER LEVEL
## WATER WELL OWNER Mid America Pipeline Co.  RR#, St. Address, Box # : 1800 South Baltimore Ave.  Board of Agriculture, Division of Water Resources Application Number:    Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box # : 1800 South Baltimore Ave.  Board of Agriculture, Division of Water Resources Application Number:    3
RR#, St. Address, Box # : 1800 South Baltimore Ave.  Board of Agriculture, Division of Water Resources Application Number:    3
Application Number:  Applicati
Depth of COMPLETED WELL.    Type of Blank Casing Used:   Type of Casing Used:   Type of Blank Casing Used:   Type of Casing Used:
Depth(s) Groundwater Encountered 1
WELL'S STATIC WATER LEVEL
Pump test data: Well water was
Est. Yield
Bore Hole Diameter
Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  2 Irrigation 4 Industrial 7 Lawn and garden only Was a chemical/bacteriological sample submitted to Department? YesNo:; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No  5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well  Was a chemical/bacteriological sample submitted to Department? YesNo:; If yes, mo/day/yr sample was submitted  Water Well Disinfected? Yes No  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 Irrigation 4 Industrial 7 Lawn and garden only (10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? YesNo:; If yes, mo/day/yr sample was submitted  Water Well Disinfected? Yes No  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
S submitted Water Well Disinfected? Yes No  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
·
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
2 PVC 4 ABS 7 Fiberglass
Blank casing diameter in. to
Casing height above land surface
TYPE OF SCREEN OR PERFORATION MATERIAL 7 PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From
From
From         ft. to         ft., From         ft. to         ft. to         ft. from         ft. to         ft. to         ft. from         ft. to         ft. from         ft. to         ft. from
From         ft. to         ft., From         ft. to           GRAVEL PACK INTERVALS:         From         ft. to         ft., From         ft. to           From         ft. to         ft., From         ft. to
From ft. to ft., From ft. to ft. From ft. to ft., From ft. ft. ft. ft. ft. ft. ft. ft. ft.
From   ft. to   ft., From   ft., F
From
From   ft. to   ft., From
From   ft. to   ft., From
From   ft. to   ft., From
From   ft. to   ft., From
From   ft. to   ft., From
From   ft. to   ft., From
From   ft. to   ft., From
From   ft. to   ft., From
From   ft. to   ft., From
From   ft. to   ft., From
From
From
From
From
From
From
From