


1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: McPherson		NE 1/4 NW 1/4 NW 1/4		25		T 19 S		R 5 E	
Distance and direction from nearest town or city street address of well if located within city?									
9 miles west of McPherson on Hwy 56									
2 WATER WELL OWNER: MAPCO Conway station									
RR#, St. Address, Box #					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code McPherson Kansas					Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:					4 DEPTH OF COMPLETED WELL: 30 ft. ELEVATION:				
					Depth(s) Groundwater Encountered 1. 14 ft. 2. ft. 3. ft.				
					WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr				
					Pump test data: Well water was ft. after hours pumping gpm				
					Est. Yield 10 gpm: Well water was ft. after hours pumping gpm				
					Bore Hole Diameter .13 in. to ft., and in. to ft.				
					WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
					1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
					2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Recovery well				
					Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted				
					Water Well Disinfected? Yes No				
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 6 in. to 0-10 ft. Dia 6 in. to 25-30 ft. Dia									
Casing height above land surface 36 in., weight lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 10-25 ft. to ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 8-25 ft. to ft. From ft. to ft.									
6 GROUT MATERIAL:									
1 Neat cement 2 Cement grout 3 Bentonite 4 Other Bentonite 6-8									
Grout Intervals: From 4 ft. to 6 ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 6 Brown clay 0 6									
6 10 Tan clay 6 14									
14 30 Red shale 14 30									
14' saturated zone									