			WAT	ER WELL RECORD FO	orm WWC-5	KSA 82a	-1212		
LOCATION OF WATER WELL:			Fraction	N. u.) x./ u		ion Number	Township Number	Range Number	
					1/4	25	1 195 s	R &W EW	
Distance and direction from nearest town or city street address of well if located within city? 9 miles west of mcPherson on Hury 54 0w-3									
NATES	INC.	NED.	200 00	or christ.	J on	- Huy	154		
-		NER:	70000	may seace		•	Described Academic	51.6-1	
	ddress, Bo	" me	Pherson	Kansas			Board of Agriculture, Division of Water Resources Application Number:		
LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL	25	. ft. ELEVA	TION:		
' AN "X"	IN SECTIO	N BOX:						ft. 3	
ī ſ	1	ı						ay/yr	
Pump test data: Well water was ft after bours numping gpm									
Est. Yield									
Bore Hole Diameter 8. in. to 2.25 ft. and in. to									
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								11 Injection well	
ī L	_ sw	SF	1 Domest		Oil field wat		9 Dewatering	12 Other (Specify below)	
i [- 3\\	3	2 Irrigation	n 4 Industrial 7	Lawn and g	arden only	10 Monitoring well	covery	
↓ L	Was a chemical/bacteriological sample submitted to Department? YesNo; If yes, mo/day/yr sample was su								
		3	mitted			Wa	ter Well Disinfected? Ye	es No	
TYPE C	F BLANK (CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOINTS:	Glued Clamped	
1 Ste		3 RMP (S	SR)	6 Asbestos-Cement	9 Other (specify below	w)	Welded	
(2) PV		4 ABS		7 Fiberglass				Threaded	
Blank casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: 7PVC 10 Asbestos-cement									
1 Ste		3 Stainles		5 Fiberglass	, ,		. ,	ecify)	
2 Bra		4 Galvani		6 Concrete tile			12 None use		
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped							8 Saw cut	11 None (open hole)	
Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 10 Other (specify)									
To other (opening)									
SCREEN-PERFORATED INTERVALS: From									
From									
	INAVEL PA	CK INTERVALS	From						
GROUT	MATERIAL	· 1 Neat		ft. to	2) Ronto	ft., Fro		ft. to ft.	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Bentonite									
Grout Intervals: From									
_		•	ral lines	ttion: 7 Pit privy		10 Livestock pens		15 Oil well/Gas well	
1 Septic tank 4 Later 2 Sewer lines 5 Cess				' '		11 Fuel storage n 12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines 6 Seep			•				cticide storage	To Other (specify below)	
Direction f	•		pago p	o i oodyala	How mai		•		
FROM	TO		LITHOLOGI	C LOG	FROM	TO		NG INTERVALS	
0	le	Brow	n Clar	1					
6	14	Jan (Clay 1						
14	25	grey A	Red Si	Rale					
							75/714		
							The second secon		
				THE STATE OF THE S			TANK MILLIAN		
		ł			L				
7 CONTE	RACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: This water well was	constru	cted, (2) rec	onstructed, or (3) plugge	d under my jurisdiction and was my knowledge and belief. Kansas	
completed	on (mo/day	/year)	e. de	· . 4		and this reco	ord is true to the best of	my knowledge and belief. Kansas	
Water Wel	I Contractor	's License No.		This Water We	I Record wa	s completed	on (mo/day/gr)	שוןשכ	
under the	business na	me of Jan	& ma	nitoring Sep	tems	by (signa	ature)	aus	