WATER	R WEL	L RECORD	Form W	VC-5	Division of Wate	r Resources App. N	0.	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
		Pherson CW III	1/4 NE 1/4 NW		1:	T 19 S	R 5 DE XW	
	treet/Rural Address of Well Location; if unknown, distance & direction om nearest town or intersection: If at owner's address, check here $\boxed{\mathbf{X}}$ .				Global Positioning System (GPS) information:			
	· · · · · · · · · · · · · · · · · · ·			Latitude: (in decimal degrees) Longitude: (in decimal degrees)				
0-17	8-1/2 miles South of Marquetee, KS				Elevation: (in decimal degrees)			
					Datum: WGS 8	4, □ NAD 83, □	] NAD 27	
			Houghton		Collection Method:		,	
	RR#, Street Address, Box #: 1730 5th Ave. McPherson, KS City, State, ZIP Code :					☐ GPS unit (Make/Model:		
City,	State, Z	ir code .			Est. Accuracy:	3 m. $\square$ 3-5 m.	15-15 m. >15 m	
3 LOCA	ATE WE	LL					- Indiana	
WITE	I AN "X'	AN "X" IN 4 DEPTH OF COMPLETED WELL 200 x 6 holes ft.						
SECT	TON BO							
<del> </del>	N WELL'S STATIC WATER LEVELn/aft. below land surface measured on mo/day/yr.7/.11/.11  Pump test data: Well water wasft. afterhours pumpinggpm							
	EGT VIELD 7/2 and Well wester was ft offer house numing							
NW   W	NW   NE							
	WELL WATER TO BE USED AS: Public water supply  Geothermal  Injection well							
X SW	Sw SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	Irrigation   Industrial   Domestic-lawn & garden   Monitoring well							
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes XX No							
S If yes, mo/day/yr sample was submitted								
water well disinfected: K 1 cs L 100								
5 TYPE OF CASING USED: Steel PVC K Other Polyethyleneloops								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 3/4 in. to 20.0. x. 6ft., Diameter ft., Diameter ft.								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
From								
6 GROUT MATERIAL: Neat cement Cement grout XX Bentonite Other								
Grout Intervals: From . 0								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direc	tion from	n well Northeast		Distance	from well50. £1	- 4 <b>P</b>	••••••	
FROM	ТО	LITHOLOG		FROM	TO LITHO. L	OG (cont.) <u>or</u> PLI	UGGING INTERVALS	
0	2	Topsoil	x le hole	<b>b</b>				
2 7	7 186	Shale, gray		-				
186	200	Shale, red Shale, gray						
100	200	priate, Aray						
			, , , , , , , , , , , , , , , , , , , ,					
P CONT	ED A COM	ADIC OD I ANDOUNT	Die CEDTITIO ATTA	No This	on well was 🖼 ass-+	mustad [] mass=-4	minted or Maluescad	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗓 constructed, 🗌 reconstructed, or 🔲 plugged under my jurisdiction and was completed on (mo/day/year)7/11/11 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No138 This Water Well Record was completed opp (ppo/day/year)7/21/11								
under the business name of . Peterson . Irrigation, . Inc								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterweil/index.html.								
KSA 82a-1212								