

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Rice</u>		<u>SE 1/4 NE 1/4 NW 1/4</u>	<u>13</u>	T <u>19</u> S	R <u>6</u> EW
Distance and direction from nearest town or city street address of well if located within city? <u>4 mi E of Little River</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>Doug Peters</u> <u>350 E Walker Ave</u>		Application Number:			
City, State, ZIP Code : <u>Little River, KS 67457</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>106</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>20</u> ft. below land surface measured on mo/day/yr <u>6-3-97</u> Pump test data: Well water was <u>104</u> ft. after <u>4</u> hours pumping <u>1/2</u> gpm Est. Yield <u>1/2</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>8</u> in. to <u>48</u> ft. and <u>5 1/2</u> in. to <u>106</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well ① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No <u>X</u> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No			
		5 TYPE OF BLANK CASING USED:			
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped ② PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded			
		Blank casing diameter <u>5</u> in. to <u>37</u> ft. Dia <u>5</u> in. to <u>48</u> ft. Dia in. to ft. Casing height above land surface <u>12</u> in. weight <u>2.29</u> lbs./ft. Wall thickness or gauge No. <u>160</u> TYPE OF SCREEN OR PERFORATION MATERIAL: ⑦ PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:				5 Gauzed wrapped ⑧ Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS:				From <u>37</u> ft. to <u>42</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.	
GRAVEL PACK INTERVALS:				From <u>23</u> ft. to <u>43</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.	
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout ③ Bentonite 4 Other Grout Intervals: From <u>3</u> ft. to <u>23</u> ft. From <u>43</u> ft. to <u>48</u> ft. From ft. to ft.			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage ⑩ Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage <u>Open Field</u>			
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	14	Br + Gr Clay			
14	17	Rocky clay silt			
17	27	Gr clay			
27	40	1 Gr Silty sand stone			
40	40 1/2	sand			
40 1/2	45	Gr shale			
45	106	Red shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-3-97</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>447</u> This Water Well Record was completed on (mo/day/yr) <u>6-27-97</u>					
under the business name of <u>Miller Drilling</u> by (signature) <u>G. Miller</u>					