KOLAR Document ID: 1484682

					Division of Water				
		Fraction		sources App. I		Taumahin Numb	Well ID	aca Mumban	
1 LOCATION OF WATER WELL: County:		Fraction   1/4 1/4 1/4	Section Number		ei	Township Number	R R	nge Number □E □W	
2 WELL OWNER	P• Last Name:			Street or Rural Address where well is located (if unknown, distan					
Business: direction from nearest town or intersection): If at owner's address, check here:									
Address:									
Address: City:	State:	ZIP:							
3 LOCATE WELL		-							
WITH "X" IN 4 DEPTH OF COMPLETED WELL:				. ft. 5 Latitude:(decimal degrees)					
SECTION BOX:	SECTION ROX: Depth(s) Groundwater Encountered: 1)				= (decimal degrees)				
N	2) ft. 3) ft., or 4) \[ \subseteq \text{Dr} \] \[ \subseteq WELL'S STATIC WATER LEVEL:								
	below land surface, measured on (mo-day-yr)					Latitude/Longitude:		`	
NW NE	above land surface, measured on (mo-day-yr).								
	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map				
w H	E after hours pumping gpm				Online Mapper:				
SW SE	- SE   Well water was ft. after hours pumping gg								
X	Estimated Yield:		6 Eleva	<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC					
S	Bore Hole Diameter:	spin		Source:					
	1 mile  in. to in. to								
7 WELL WATER TO BE USED AS:									
1. Domestic:		ater Supply: well ID				ld Water Supply: le			
Household	6. Dewatering: how many wells?								
☐ Lawn & Garden		well ID			☐ Cased ☐ Uncased ☐ Geotechnical				
☐ Livestock 2. ☐ Irrigation									
3. ☐ Feedlot					b) Open Loop  Surface Discharge Inj. of Water				
4. ☐ Industrial			13.  Other (specify):						
4.  Industrial Recovery Injection 13. Other (specify):									
Water well disinfected? $\square$ Yes $\square$ No									
8 TYPE OF CASING USED:  Steel PVC Other									
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft.  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Septic Tank☐ Sewer Lines	☐ Lateral Line			Livestock Po					
☐ Sewer Lines     ☐ Cess Pool     ☐ Sewage Lagoon     ☐ Fuel Storage     ☐ Abandoned Water Well       ☐ Watertight Sewer Lines     ☐ Seepage Pit     ☐ Feedyard     ☐ Fertilizer Storage     ☐ Oil Well/Gas Well									
Other (Specify)									
Direction from well? Distance from well									
10 FROM TO	LITHOLO	GIC LOG	FROM	TO	LITI	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
			Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed,   reconstructed, or   plugged									
under my jurisdiction and was completed on (mo-day-year)									
under the business n	under the business name of								
	Send one copy to WATER W	VELL OWNER and retain of	one for your re	cords. Fee of \$:	5.00 fc	or each constructed wel	11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212									