

| | | | | |
|---|----------------------------------|-----------------------|---------------------------|--------------------------|
| 1 LOCATION OF WATER WELL: County: rice | Fraction SW 1/4 SW 1/4 NW 1/4 | Section Number 2 1 | Township Number T 19 S | Range Number R 6W E/W |
|---|----------------------------------|-----------------------|---------------------------|--------------------------|

Distance and direction from nearest town or city street address of well if located within city?

3 miles north and 2 west of Windom, Kansas

2 WATER WELL OWNER: John Jenkins
 RR#, St. Address, Box # : RR 1, Box 146
 City, State, ZIP Code : Windom, Kansas 67491
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 100 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL ~~XX~~ 42 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter: 9 in. to 100 ft., and in. to ft.

WELL WATER TO BE USED AS:

| | | |
|-----------------------|--------------------|--------------------------|
| 5 Public water supply | 8 Air conditioning | 11 Injection well |
| X 1 Domestic | 3 Feedlot | 6 Oil field water supply |
| 2 Irrigation | 4 Industrial | 7 Lawn and garden only |
| | | 10 Monitoring well |
| | | 9 Dewatering |
| | | 12 Other (Specify below) |

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

| | | | | |
|---------|------------|-------------------|-------------------------|--|
| 1 Steel | 3 RMP (SR) | 5 Wrought iron | 8 Concrete tile | CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped |
| X 2 PVC | 4 ABS | 6 Asbestos-Cement | 9 Other (specify below) | Welded |
| | | 7 Fiberglass | | Threaded |

Blank casing diameter 5 in. to 20 ft., Dia 40 in. to 60 ft., Dia in. to ft.

Casing height above land surface 24 in., weight ~~SDR 21~~ ~~XXX~~ lbs./ft. Wall thickness or gauge No. 214

TYPE OF SCREEN OR PERFORATION MATERIAL:

| | | | | |
|---------|--------------------|-----------------|------------|--------------------------|
| 1 Steel | 3 Stainless steel | 5 Fiberglass | 8 RMP (SR) | 10 Asbestos-cement |
| 2 Brass | 4 Galvanized steel | 6 Concrete tile | 9 ABS | 11 Other (specify) |
| | | | | 12 None used (open hole) |

SCREEN OR PERFORATION OPENINGS ARE:

| | | | | |
|--------------------|---------------|------------------|--------------------|---------------------|
| 1 Continuous slot | 3 Mill slot | 5 Gauzed wrapped | X 8 Saw cut | 11 None (open hole) |
| 2 Louvered shutter | 4 Key punched | 6 Wire wrapped | 9 Drilled holes | |
| | | 7 Torch cut | 10 Other (specify) | |

SCREEN-PERFORATED INTERVALS: From 100 ft. to 60 ft., From ft. to ft.

From 40 ft. to 20 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 100 ft. to 20 ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite X 4 Other hole plug

Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

| | | | | |
|--------------------------|-----------------|-----------------|------------------------|--------------------------|
| X1 Septic tank | 4 Lateral lines | 7 Pit privy | 10 Livestock pens | 14 Abandoned water well |
| 2 Sewer lines | 5 Cess pool | 8 Sewage lagoon | 11 Fuel storage | 15 Oil well/Gas well |
| 3 Watertight sewer lines | 6 Seepage pit | 9 Feedyard | 12 Fertilizer storage | 16 Other (specify below) |
| | | | 13 Insecticide storage | |

Direction from well? south How many feet? 150

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|-----|---|------|----|--------------------|
| 0 | 3 | Dark top soil | | | |
| 3 | 12 | Tan clay and cletch | | | |
| 12 | 20 | Tan clay | | | |
| 20 | 22 | Broken up sand stone | | | |
| 22 | 28 | Light gray clay | | | |
| 28 | 44 | Gray shale | | | |
| 44 | 45 | Gray shale with streaks of coal and iron pirite | | | |
| 45 | 70 | Gray shale | | | |
| 70 | 90 | Gray shale | | | |
| 90 | 103 | Red bed and green shale | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/10/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) under the business name of Rosenkrantz-Bemis Ent., Inc. by (signature) *Dreg Dodson*