WATER WI	ELL RECORD	Form WWC-5	Division of Water	Resources App. N	0.	
1 LOCATION OF WATER WELL: County: RICE		Fraction SW ¼ SW ¼ SW ¼ NE ¼	Section Number 14	Township No. T 19 S	Range Number R 7 ☐E ✔W	
		if unknown, distance & direction	Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .			Latitude: .38.23.34 (in decimal degrees)			
Ave J and 23rd Road, Mitchell, KS			Longitude: 98.4.2(in decimal degrees)			
740 0 dild 2014 1 todd, Mitorioli, 110			Elevation:			
A WATER WELL OWNER			<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
		nv Corp of Engineers Collection Method:		I Phone	S E C	
C': Ct t ZID C 1		st 12th Street	GPS unit (Make/Model: I-Phone 5C			
City, State, ZIP Code : Kansas		City, MO 64106	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE W	/FII		Est. Accuracy.) III, [] 3-3 III, []	3-13 m, /13 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 49 ft.						
	SECTION BOX: Depth(s) Groundwater Encountered (1).30 ft. (2) ft. (3) ft.					
N	1 = 1 - () () ()					
Pump test data: Well water wasft. after hours pumping gpm						
EST. YIELDgpm. Well water wasft. after hours pumping						
W Bore Hole Diameter 6						
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No						
S If yes, mo/day/yr sample was submitted						
1 mile	Water well disin	fected? 🗌 Yes 📮 No				
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .2 in. to .34 ft., Diameter in. to ft., Diameter ft.						
Casing height above land surface. 30 in., Weight .70 lbs./ft., Wall thickness or gauge NoSCH.40.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other						
Grout Intervals: From .28 ft. to .0 ft., From ft. to ft. to ft. to ft. to ft. ft. to						
What is the nearest source of possible contamination:						
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)						
Sewer lines						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction fr	om well .N/A	Distance	from wellN/A			
FROM TO	LITHOLOG	IC LOG FROM	TO LITHO. LO	G (cont.) <u>or</u> PLU	GGING INTERVALS	
0 36	Clay					
36 49	Sand					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .5-6-16 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 597 This Water Well Record was completed on the day by 6-6-16						
under the business name of .Cascade Drilling						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						



