

**CORRECTION(S) TO WATER WELL RECORD (Form WWC-5)**

(to rectify lacking or incorrect information)

<b>LOCATION OF WATER WELL:</b> County: Rice	Fraction _____ ¼ SE ¼ NE ¼ SE ¼	Section 33	Township T 19 S	Range R 8 <input type="checkbox"/> E <input checked="" type="checkbox"/> W
--	------------------------------------	---------------	--------------------	---

**Owner:** Farmers Coop Union

**Location was listed as:**

Sec. 33 T 19 S R 8  E  W

Fraction: \_\_\_\_\_ NE NE SE

**Location changed to:**

Sec. 33 T 19 S R 8  E  W

Fraction: \_\_\_\_\_ SE NE SE

**Other changes:** Initial statements: \_\_\_\_\_

Changed to: \_\_\_\_\_

Comments: \_\_\_\_\_

Verification method: Note from plugging contractor, wellsite address, and mapping tool and aerial photos on KGS website.


initials: DRS date: 06/09/2014

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 SE 1/4 Section Number 33 Township Number T 19 S Range Number R 8 E/W

Distance and direction from nearest town or city street address of well if located within city?  
In town

2 WATER WELL OWNER: Farmers Coop Union  
 RR#, St. Address, Box #: 321 N. Guard  
 City, State, ZIP Code: Lynn, KS  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 44.0 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 33.0 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 32.8 ft. below land surface measured on mo/day/yr 7-27-92  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 6 5/8 in. to 44.0 ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded X  
 Blank casing diameter 2.38 in. to 33.7 ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface Flush ft., weight lbs./ft. Wall thickness or gauge No. SDR-13  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement sch 40  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot .010 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 43.7 ft. to 23.7 ft., From ft. to ft.  
 From ft. to ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From 44.0 ft. to 17.0 ft., From ft. to ft.  
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 17.0 ft. to 1.5 ft., From 1.5 ft. to 0 ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)  
 Direction from well? North How many feet? 65'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0.0	0.4	Asphalt			
.4	1.0	DK Gray to BK med. sand fill			
1.0	2.3	DK Brown silty clay			
2.2	26.0	Red Brown silty clay w/ interbedded black clay stringers w/ trace white clay - calciferous nodules			
36.0	44.0	dk brown silty clay w/ interbedded black clay stringers, some calciferous gravel & calciferous layers of bones			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-27-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 9-18-92 under the business name of JB Env. Drilling by (signature) James Baker

OFFICE USE ONLY  
T  
R  
EW  
SEC.  
1/4  
1/4  
1/4