

CORRECTION(S) TO WATER WELL RECORD (Form WWC-5)

(to rectify lacking or incorrect information)

LOCATION OF WATER WELL: County: Rice	Fraction ¼ SE ¼ NE ¼ SE ¼	Section 33	Township T 19 S	Range R 8 <input type="checkbox"/> E <input checked="" type="checkbox"/> W
--	------------------------------	---------------	--------------------	---

Owner: Farmers Coop Union

Location was listed as:

Sec. 33 T 19 S R 8 E W

Fraction: NE NE SE

Location changed to:

Sec. 33 T 19 S R 8 E W

Fraction: SE NE SE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: Note from plugging contractor, wellsite address, and mapping tool and aerial photos on KGS website.


initials: DRS date: 06/09/2014

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL: County: RICE Fraction: NE 1/4 NE 1/4 SE 1/4 Section Number: 33 Township Number: T 19 S Range Number: R 8 EW

Distance and direction from nearest town or city street address of well if located within city?
In Town.

2 WATER WELL OWNER: Farmers Coop. Union
 RR#, St. Address, Box #: 321 N. Grant. Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Lyon, Ks Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 43.7 ft. ELEVATION: _____
 Depth(s) Groundwater Encountered 1. 29.7 ft. 2. _____ ft. 3. _____ ft.
 WELL'S STATIC WATER LEVEL 29.7 ft. below land surface measured on mo/day/yr 7-27-92
 Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm
 Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm
 Bore Hole Diameter: 6.58 in. to 43.7 in. and _____ in. to _____ in. ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes _____ No X; If yes, mo/day/yr sample was submitted _____
 Water Well Disinfected? Yes _____ No _____

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____
 Blank casing diameter 2.38 in. to 23.13 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.
 Casing height above land surface Flush ft., weight _____ lbs./ft. Wall thickness or gauge No. SDR 13
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement Sen 40
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) _____
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot, .010 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) _____
 SCREEN-PERFORATED INTERVALS: From 43.7 ft. to 23.7 ft., From _____ ft. to _____ ft.
 GRAVEL PACK INTERVALS: From 43.7 ft. to 19 ft., From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____
 Grout Intervals: From 19 ft. to 2.5 ft., From 2.5 ft. to 0 ft., From _____ ft. to _____ ft.
 What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) _____
 Direction from well? West How many feet? 5ft

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5.4	Med Brown - DK Brown silty clay fine to med gravel			
5.4	14.6	Red Brown silty clay, caliche nodules			
14.6	30.1	Red Brown silty clay w/ clayey silt some clastic nodules			
30.1	34.3	Interbedded silty clay to clayey silt Gray to white gravelly caliche			
34.3	35.3	Firm Gray to Br. silty sandy clay			
35.3	43.7	Firm Gray Brown sandy clayey silt w/interbedded silty clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-27-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 9-18-92 under the business name of J.B. Environmental Drilling by (signature) James B. Baker

OFFICE USE ONLY
T
R
EW
SEC.
1/4
1/4
1/4