	WATE	R WELL RECORD	Form WWC-5	KSA 8	2a-1212	///	
LOCATION-OF WATER WELL:	Fraction	116 60	Sec	tion Numbe	er Township	3 . I	Range Number
County: KICE	1 1/2 1/4	アングラク		31	T /2	SR	
Distance and direction from nearest tow	~~`		within city?	K	•		•
7/1		Trut,	mure,	10	•		
WATER WELL OWNER: PUNY	o mart	,					
RR#, St. Address, Box # : 4/7/	nain stree	t			Board of	Agriculture, Divisio	n of Water Resources
City, State, ZIP Code	2e, KS	67024				on Number:	11.994
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF C	OMPLETED WELL 7	28.3	ft. ELEV	ATION:		
AN A IN SECTION BOX:	Depth(s) Ground	water Encountered 1.	23	ft	. 2	ft. 3 <sub>r</sub> .	
	WELL'S STATIC	WATER LEVEL	84 ft. b	elow land s	urface measured	on mo/day/yr 🕼	6/98
NW NE	Pump	test data: Well water	was	ft.	after	hours pumping	gpm
		gpm: Well water					
<u> </u>		ter <b>8 a 6 6</b> . in. to .	76/				
W   E	WELL WATER TO	O BE USED AS:	5 Public wate	r supply	8 Air conditionir	ng 11 Injectio	on well
	1 Domestic	3 Feedlot 6	Oil field wat	ter supply	9 Dewatering	12 Other	(Specify below)
3M   3E	2 Irrigation	4 Industrial 7	Lawn and g	arden only	(10) Monitoring w		
	Was a chemical/b	acteriological sample su				. / '	ay/yr sample was sub
, S	mitted			•	ater Well Disinfec	•	No X
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING J	DINTS: Glued	. Clamped
1_Steel 3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify bel	ow)	Welded	
(2)PVC 4 ABS	ĺ	7 Fiberglass				Threaded.	<b>×</b>
Blank casing diameter	in. to 1.0		in. to		ft Dia	in. to	ft
Casing height above land surface							
TYPE OF SCREEN OR PERFORATIO		, <b></b>	<b>O</b> PV			sbestos-cement	
1 Steel 3 Stainless		5 Fiberglass	_	P (SR)	_	ther (specify)	-
2 Brass 4 Galvaniz		6 Concrete tile	9 AB	, ,		one used (open hol	
SCREEN OR PERFORATION OPENIN			d wrapped		8 Saw cut	٠,	one (open hole)
_	lill slot	6 Wire w			9 Drilled holes		one (open nois)
	ey punched	7 Torch	• •			<del></del>	
SCREEN-PERFORATED INTERVALS:	· · · · · · · · · · · · · · · · · · ·	3.5 ft. to		 ft Fr	٠,٠	ft. to	
ant	From				om <del></del>		— ft
GEAVEL PACK INTERVALS:	From 1.7	ft. to	- 17		om		T ft
	From	ft. to		ft., Fr		ft. to —	ft.
GROUT MATERIAL: 1 Neat of	cement C	Cement grout	(3) Bento				
Grout Intervals: From		ft., <b>3</b> 0m 15			ft From .		toft.
What is the nearest source of possible		, , , , , , , , , , , , , , , , , , , ,			estock pens		ned water well
1 Septic tank 4 Later		7 Pit privy			el storage	15 Oil well/	
2 Sewer lines 5 Cess		8 Sewage lago	on		tilizer storage		pecify below)
3 Watertight sewer lines 6 Seep	•	9 Feedyard			ecticide storage	1MLS	tte
Direction from well?		- · · · · · · · · · · · · · · · · · · ·			any feet?	20101	
FROM TO	LITHOLOGIC L	OG	FROM	TO		PLUGGING INTERV	/ALS
0 1 GRAVE							
1 27 Claury	silt .				,		
27 28.5 5110							140
18.5 TO GAR O	2 Buchol						
7	)						
	1986						
					NE TATAL MICH.		
	TOTAL TENNES OF A STANSON OF THE STA						
				N. F. M.			
						national and a second	
					İ		
Proposition and the second sec							
00170407070			120		L		
CONTRACTOR'S OR LANDOWNER	CENTIFICATION	ON: This water well was					
ompleted on (mo/day/year) 5/.2	HOL					est of my knowledg	e and belief. Kansas
/ater Well Contractor's License No.	27	This Water We	II Record was		on (mo/day/yr)	E11178 V	A
nder the business name of	1121			by (sign	ature) Atw	neer por in	Sake