


1 LOCATION OF WATER WELL: County: **RICE** Fraction: **NE 1/4 NE 1/4 SE 1/4** Section Number: **31** Township Number: **T 19 S** Range Number: **R 9 EW**

Distance and direction from nearest town or city street address of well if located within city?
Intown

2 WATER WELL OWNER: **Farmers Coop. Union**
 RR#, St. Address, Box #: **Box 386** Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: **Chase, Ks. 67524** Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: **30** ft. ELEVATION:
 Depth(s) Groundwater Encountered: **1.17** ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: **18** ft. below land surface measured on mo/day/yr **7-31-92**
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: **6 5/8** in. to **30** ft., and in. to ft.
 WELL WATER TO BE USED AS:
 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 7 Fiberglass Welded
 Blank casing diameter **2.38** in. to **2.5** ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface **Flush Mounted** in., weight lbs./ft. Wall thickness or gauge No. **SDR-13**
 TYPE OF SCREEN OR PERFORATION MATERIAL: **Manure** PVC 10 Asbestos-cement **Sch 40**
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot Mill slot **.010** 6 Wire wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From **30** ft. to **2.5** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **30** ft. to **24.5** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite 4 Other
 Grout Intervals: From **24.5** ft. to **2** ft., From **2** ft. to **0** ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)
 Direction from well: **Southward** How many feet? **60ft**

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.2	Brown loamy soil rt frag.			
1.2	24.5	Brown silty clay w/ caliche nodules & gravel increasing w/ depth			
24.5	30.0	Fine-med. coarse sand, sub angular to rounded			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (constructed) (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **7-31-92** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **539** This Water Well Record was completed on (mo/day/yr) **9-18-92** under the business name of **J.B. Env. Drilling** by (signature) **James Bueker**