WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Comanche	Fraction 1/4 ne 1/4 ne 1/4 ne 1/4	Section Number Township No. Range Number 1 T 31 S R 18 □E ☑W	
Street/Rural Address of Well Location		Global Positioning System (GPS) information:	
from nearest town or intersection: If a		Latitude: .37.22.978 (in decimal degrees)	
3 miles north and 1 1/2 west and s	· · · · · · · · · · · · · · · · · · ·	Longitude: 99 13.759 (in decimal degrees) Elevation: 2142	
and the state of t		<u>Datum</u> : ☑ WGS 84, □ NAD 83, □ NAD 27	
	ell Unruh	Collection Method:	
RR#, Street Address, Box #: 2366	⁻ d23	☐ GPS unit (Make/Model: megelan)	
	re Ks 67155	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m,	
3 LOCATE WELL			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 246 ft.			
SECTION BOX: Depth(s) Grou	SECTION BOX: Depth(s) Groundwater Encountered (1).99 ft. (2) ft. (3) ft. (3) ft. (3) ft. (4) ft. (5) ft. (6) ft. (7) ft. (1) ft. (1) ft. (2) ft. (3) ft. (4) ft. (4) ft. (5) ft. (6) ft. (6) ft. (7) ft. (7) ft. (8) f		
WEEL S STATIC WATER DE VEE			
Pump test data: Well water was			
EST. YIELD. 100gpm. Well water was			
W Bore Hole Diameter 10. 5/8. in. to .246			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes V No			
S If yes, mo/day/yr sample was submitted			
water well dis			
5 TYPE OF CASING USED: Steel V PVC Other			
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded			
Casing diameter .5 in. to .246 ft., Diameter in. to ft., Diameter in. to ft.			
Casing height above land surface. 24 in., Weight \$41.17lbs./ft., Wall thickness or gauge No			
TYPE OF SCREEN OR PERFORATION	N MATERIAL:		
☐ Steel ☐ Stainless Steel	∠ PVC □	Other (Specify)	
Brass Galvanized Steel None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From			
SCREEN-PERFORATED INTERVALS			
From ft. to ft., From ft. to ft. of f			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other			
		tt. to It., From It. to	
What is the nearest source of possible con Septic tank Lateral I	ines Pit privy Livestock p	ens Insecticide storage Other (specify below)	
Sewer lines Cesspoo			
☐ Watertight sewer lines ☐ Seepage			
Direction from well		from well	
FROM TO LITHOLO		TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 4 clay			
4 15 redish clay			
15 45 gray clay			
45 63 silty red clay			
63 90 siltyl sand			
90 115 small gravel			
115 120 tan clay			
120 tall clay			
150 195 Hard clay tan			
195 246 slity sand	D'S CEDTIFICATION. This moto	r well was I constructed I reconstructed or I plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigcirc \) constructed, \(\bigcirc \) reconstructed, or \(\bigcirc \) plugged under my jurisdiction and was completed on (mo/day/year) .3/2/11			
Kansas Water Well Contractor's License No. 665 This Water Well Record was completed on (mo/day/year) 3/3/14			
under the business name of Pratt well ser by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blank and check the correct answers. Send three copies			
(white blue pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy			