WATER WELL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. N	O	
1 LOCATION OF WATER WELL:	Fraction	3 V AS ES	Section	on Number		Range Number	
County: Smit Street/Rural Address of Well Location; i	SW1/4 SW 1/4 IV E	r direction	Clobe	24 L Positionine	System (GPS) is	R IS DE DW	
from nearest town or intersection: If at o	owner's address, check	k here \square .	Latitu			(in decimal degrees)	
				Longitude: (in decimal degrees)			
15 Miles NE & F Kensington Ke				Elevation:			
2 WATER WELL OWNER: tom Hudson RR#, Street Address, Box #: City, State, ZIP Code: 6091 40 Rd			- Datun Collec	Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #:				GPS unit (Make/Model:)			
City, State, ZIP Code : 6097 404 Ks 66951				Digital Map/Photo, Topographic Map, Land Survey			
Sensing 75 n Rs 6683 Est. Accuracy: <3 m, 3-5 m, 5-15 m; >15 m							
WITH AN "X" IN 4 DEPTH OF C	COMPLETED WEL	L		ft.		,	
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. (3) ft. (2) ft. below land surface measured on mo/day/yr.5-17-0.							
WELL'S STATIC WATER LEVEL							
EST. YIELD. 6 gpm. Well water was ft. after hours pumping gpm							
W Bore Hole Diameter 10 in. to							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS:							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot							
Continuous slot							
From ft to ff From ft to							
From							
	From	ft. to		ft., From .	ft.	to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From Lo. ft. to ft., From ft. to ft., From ft. to ft.							
Grout Intervals: From		11	π, ω		, F10111	It; W	
Septic tank	es Pit privy	Livestock		Insecticide		her (specify below)	
Sewer lines Cesspool		Fuel stora		Abandone Oil well/g			
☐ Watertight sewer lines ☐ Seepage p		☐ Fertilizer s Distance					
FROM TO LITHOLOG		FROM	TO			UGGING INTERVALS	
0 20 807/							
20 29 chalk rock						Abstraction about the second and the second action and the second action and the second action actions are second as the second action	
29 39 clay + sqn	d 3 Tone						
31 47 3h 416	and the reserved of the second						
	-						

OSVADBA			· · · · · · · · · · · · · · · · · · ·				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, \square reconstructed, or \square plugged							
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 800. This Water Well Record was completed on (mo/day/year) 5-17-13 under the business name of Cott S. h. q. K. Well Prilling by (signature) Long Hollschalk							
INSTRUCTIONS: Use typewriter or ball point per	PLEASE PRESS FIRMI	Y and PRINT o	early. Pla	ease fill in blanl	cs and check the corre	ect answers. Send three copies	
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau	of Water, Geo	logy Secti	on, 1000 SW J	ackson St., Suite 420	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							