

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Phillips</u>	$\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$	<u>22</u>	T <u>1</u> S	R <u>16</u> E <u>W</u>

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: <u>Robert Ragsdale</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : <u>587 E 1100 Rd</u>	Application Number:
City, State, ZIP Code : <u>Anna, KS 67621</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL <u>105</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1 ..... ft. 2 ..... ft. 3 ..... ft. WELL'S STATIC WATER LEVEL <u>36</u> ft. below land surface measured on mo/day/yr ..... Pump test data: Well water was <u>Air Developed</u> ..... hours pumping ..... gpm Est. Yield <u>6</u> gpm: Well water was ..... ft. after ..... hours pumping ..... gpm WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well 12 Other (Specify below) <u>Livestock</u>
	Was a chemical/bacteriological sample submitted to Department? Yes ..... No <u>X</u> ..... ; If yes, mo/day/yr sample was submitted Water Well Disinfected? <u>Yes</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
<u>PVC</u>	7 Fiberglass		Threaded
3 RMP (SR)			
4 ABS			
Blank casing diameter <u>4</u> in. to <u>6.5</u> ft. Dia <u>4</u> in. to <u>10.5</u> ft. Dia			
Casing height above land surface <u>12</u> in., weight			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>PVC</u>	10 Asbestos-Cement	
1 Steel	8 RMP (SR)	11 Other (Specify)	
2 Brass	9 ABS	12 None used (open hole)	
3 Stainless Steel			
4 Galvanized Steel			
5 Fiberglass			
6 Concrete tile			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	6 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
3 Mill slot			
4 Key punched			
SCREEN-PERFORATED INTERVALS: From <u>6.5</u> ft. to <u>8.5</u> ft. From			
GRAVEL PACK INTERVALS: From <u>2.0</u> ft. to <u>10.5</u> ft. From			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3</u> Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>20</u> ft. From				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	<u>None Known</u>
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	Topsoil & Clay			
10	15	Sandy Clay			
15	45	Clay			
45	50	Sandy Clay			
50	55	Fine Sand			
55	70	Sandy Clay			
70	75	Fine - medium sand			
75	104	Clay			
104	105	Gray Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8/2/04</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>741</u> This Water Well Record was completed on (mo/day/yr) <u>8/30/04</u> under the business name of <u>Watson Well Drilling</u> by (signature) <u>Eddie Watson</u>
---