WATER WELL R		Form WWC-			sion of Water			
Original Record		☐ Change in Well			rces App. N		Well ID	
1 LOCATION OF WATER WELL: Frac		L: Fraction	on	Section Section	ion Number			
			SE1/4 SE 1/4	Street or Rural Address where well is located (if unknown, distance and				
2 WELL OWNER: La Business:		First:	I .					
QUAITS CONN								
Address: 154 OLde Clark Place								
City: Fagle		State: TD ZIP:	83616	/ Me	7 North 2 East of Norton			
3 LOCATE WELL	4 DEPTH	OF COMPLETI	ED WELL:	102 147	5 Latitu	do.	(decimal degrees)	
WITH "X" IN		oundwater Encounte						
SECTION BOX:	2) ft. 3) ft., or 4)				y Well Datum: □ WGS 84 □ NAD 83 □ NAD 27			
	well's static water level:10.2.				ft. Source for Latitude/Longitude:			
	below land surface, measured on (mo-day-				□GI	S (unit make/model:	)	
NW NE							Yes No)	
W E	Pump test data: Well water was				☐ Land Survey ☐ Topographic Map  Online Mapper:			
1 1 1 1 1 1	Well water was ft.					iiiie Mappei		
SW SE		hours pumping		pm	( FI			
	Estimated Yield:/.0gpm				6 Elevation:ft. Ground Level TOC			
S					nd Source:  Land Survey GPS Topographic Map Other			
1 mile  in. to ft.								
1. Domestic:		AS: ] Public Water Suppl	lv: well ID		10 🗆 00	Field Water Supply: 1	ease	
☐ Household	many wells?							
☐ Lawn & Garden								
Livestock	☐ Livestock 8. ☐ Monitoring: well ID				<del>-</del>			
2.  Irrigation								
3. Feedlot Air Sparge Soil Vapor Extr					b) Open Loop Surface Discharge Inj. of Water  13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE?  Yes  No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: Steel PVC Other								
Casing height above land surface 3.0 in. Weight lbs./ft. Wall thickness or gauge No. 2.6								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☑ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)  SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From 1.4.7 ft. to 20. ft., From ft. to ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Sentonite Other								
Grout Intervals: From 20 ft. to ft., From ft. to ft., From ft. of the first ft.								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
□ Sewer Lines     □ Cess Pool     □ Sewage Lagoon     □ Fuel Storage     □ Abandoned Water Well       □ Watertight Sewer Lines     □ Seepage Pit     □ Feedyard     □ Fertilizer Storage     □ Oil Well/Gas Well								
Other (Specify)								
Direction from well?								
10 FROM TO		LITHOLOGIC LO	G	FROM	TO	LITHO. LOG (cont.) o	or PLUGGING INTERVALS	
0 30	507/							
30 45	chalak							
	sand s							
65 75	S quely	Clay						
75 95	Sand							
95 147	gravel			Notes:				
147	147 Rhale Notes							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed.  reconstructed. or plugged								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, re								
Kansas Water Well Contractor's License No. 200. This Water Well Record was completed on (mo-day-year). 4								
under the business name of Go.H. seh. alk. wa.ter. Well Dr. Illing.								
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.								
					KSA 82a-1212 Revised 9/10/2012			