Co	rre	cted Copy										
NE SE												
WATER	WELL	RECORD Form WWC-5	<i>18</i>	Division of W	ater Resources; App. No.							
	TION OI	WATER WELL: Fraction Fraction White	1/4 S	ection Number 2	Township Number T 1 S	Range Number R 3 EW						
Distan	ce and dire	ction from nearest town or city street address of well if		obal Positioni	ng Systems (decimal degr	rees, min. of 4 digits)						
located	l within ci	y? 1/2 mile south of Chester, NE	I	Latitude: 39° 59° 36.3"								
			I	Longitude: 097° 36' 48.1"								
		LOWNER: Republic Co RWD #2	E	Elevation:								
	St. Addres		1	Datum:								
	State, ZIP			Data Collection Method: Hand held								
i e	TE WEL	L'S 4 DEPTH OF COMPLETED WELL	206	••••••	ft.							
WITH	WITH AN "X" IN Depth(s) Groundwater Encountered (1)125 ft. (2) ft. (3) ft.											
SECT	SECTION BOX: WELL'S STATIC WATER LEVEL125											
	N											
Est. Yield. 500gpm: Well water was 133ft. after3												
w NW	NE -	E 1 Domestic 3 Feedlot 6 Oil field wat	ter sup	olv 9 D	ewatering 12 Otl	her (Specify below)						
"	++	2 Irrigation 4 Industrial 7 Domestic (la	awn &	garden) 10 M	Ionitoring well							
sw	SE -	NV	- d 4 - T		. No W .	If was maddentum						
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs Sample was submitted												
	S		. * 4		110 10 1 10 1 1 1							
		NG USED: 5 Wrought Iron 8 Concrete 3 RMP (SR) 6 Asbestos-Cement 9 Other (sp			NG JOINTS: Glued	·						
	VC	ABS 7 Fiberglass	occity to	eiow)	Welded Threaded	···· <del>??</del> ····						
		ter12 in. to181 ft., Diameter.	in	to	ft Diameter	in. toft.						
		e land surface18 in., Weight52										
TYPE OI	SCREEN	OR PERFORATION MATERIAL:										
	teel	3 Stainless Steel 5 Fiberglass 7 PVC 4 Galvanized Steal 6 Concrete tile 8 RM (SR)	9 AI	BS	11 Other (Specify)							
			10 A	sbestos-Cemen	t 12 None used (open	hole)						
		ORATION OPENINGS ARE:										
		slot 3 Mill slot 5 Guazed wrapped 7 Torch			es 11 None (open he							
CCDCCA	ouvered s	nutter 4 Key punched 6 Wire wrapped 8 Saw ATED INTERVALS: From181	206	10 Other (spe	ciry)							
SCREEN	-rekron	From ft. to										
	GRAVEL	PACK INTERVALS: From . 149 ft. to	206	ft From	ft. to	ft.						
·		From ft. to										
				•								
1	JT MATE	RIAL: 1 Neat cement (2 Cement grout) (3 Benton	nite)	Other	8' Native soil							
Grout Int		From 8 ft. to 23 ft., From 23	? f	t. to 147	ft., From	ft. toft.						
		source of possible contamination:		ala mana 12	Tunnatiaida Chaman	16 Other (marify						
	eptic tank		Civesio Fuel sto		Insecticide Storage Abandoned water well	16 Other (specify below)						
					Oil well/gas well	oelow)						
Direction	from wel	South How	v manv	feet? 500	On wonders won	***************************************						
FROM	ТО		ROM	ТО	PLUGGING INT							
0'	20'	Topsoil and tan clay										
20'	40'	Sandy clay										
49"	601					•						
<b>∮60'</b>	801	Tan clay				•						
80'	901	White clay										
90'	210'	Fine, medium and coarse sand and fin	m gr	vel								
210'	220°	Gray shale	·									
				<del>                                     </del>								
				<del>                                     </del>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged												
under m	v inciedicti	on and was completed on (mo/day/year) 5-20-08	and	this record is to	ne to the best of my kno	wledge and belief						
under my jurisdiction and was completed on (mo/day/year)52008 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No755 This Water Well Record was completed on (mo/day/year)62608												
under the	under the business name of Sargest Drilling by (signature)											
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks Chude fine of circle the correct answers. Send top												
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at												
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at												

WATEI	R WELI	RECORD	Form V	VWC-5	Division of Wate	r Resources; App. No.			
		F WATER WELL:	Fraction SE 1/4 N	E1/4 1/E 1/4	Section Number 2	Township Number T 1 S	Range Number		
Coun		public rection from nearest town	or city street addre	ss of well if		Systems (decimal deg			
		ity? 1/2 mile south			Latitude: 39°		rees, min. or ' argue)		
				Longitude: 097° 36' 48.1"					
2 WA	TER WEI	L OWNER: Republi	c Co RWD #2	Elevation:					
	, St. Addre		501 11e, KS 66935	0501	Datum:				
	State, ZIF					Method: Hand he1	.d		
	ATE WE	LL'S   4 DEPTH OF C	OMPLETED WE	LL2	.0.6 ft.				
	ATION H AN "X"	IN Donth(s) Crown de	viotor Engavintered	(1) 125	A (2)	ft. (3)	£.		
	TION BO					measured on mo/day			
SEC.	N N					hours pumping			
		Est. Yield. <b>500</b>	.gpm: Well water	was 133	ft. after3	hours pumping	<b>500</b> gpm		
NW	v   NE -	WELL WATER	TO BE USED AS	5 Public water	r supply 8 Air	conditioning 11 Inj	ection well		
w		E   1 Domestic 3				vatering 12 Ot			
		2 Irrigation 4	industrial / L	Jomestic (lawn	& garden) 10 Mor	nitoring well			
SW	/   SE -	- Was a chemical/h	acteriological samr	ole submitted to	Department? Yes	No <b>X</b> ;	If ves. mo/day/yrs		
						Yes No			
	S								
5 TYPE	E OF CAS	ING USED: 5 Wrot	ught Iron	8 Concrete tile	CASIN	G JOINTS: Glued	Clamped		
	Steel	3 RMP (SR) 6 Asbe	estos-Cement	9 Other (specif	fy below)	Welded	<b>X</b>		
		4 ABS 7 Fiber	glass			Threaded	1		
Blank ca	ising diam	eter12 in. to1	81 ft., Diame	ter	. in. to ft.,	Diameter	in. toft.		
Casing h	eight abov	e land surface18 N OR PERFORATION M	in., weign	t	lbs./tt. wall thi	ckness or guage No.	• ə /		
	Steel	3 Stainless Steel 5		PVC 9	ABS	11 Other (Specify)			
	Brass	4 Galvanized Steal 6	Concrete tile 8 F	RM (SR) 10	Asbestos-Cement	12 None used (open	hole)		
		FORATION OPENINGS	ARE:						
		s slot 3 Mill slot				11 None (open he			
21 COREEN	Louvered s	hutter 4 Key punched RATED INTERVALS: F	6 Wire wrapped	8 Saw Cut	10 Other (specif	ÿ) ft. to			
SCREE	N-PERFUI					ft. to			
	GRAVEL	PACK INTERVALS: F	rom. 149	. ft. to 20	<b>6</b> ft., From	ft. to	ft.		
						ft. to			
( CD 0		TOTAL TOTAL		00	2 4 04 01 - 9	Native coil			
6 GRO Grout In	UT MATI	From	2 Cement grout	Bentonite	f to 149 f	Native soil	ft to ft		
		source of possible contar		10111	11. 10	t., 1 10III	11. 10		
_	Septic tank	-	nes 7 Pit privy	10 Live	stock pens 13 Ins	secticide Storage	16 Other (specify		
	Sewer line	5 Cess poo			_	bandoned water well	below)		
			pit 9 Feedyard	12 Ferti	lizer Storage 15 O	il well/gas well			
	n from wel		20101.00	How ma	any feet? 500	DI LICCDIC DIT			
FROM 0 T	TO <b>20'</b>	Topsoil and tan	OGIC LOG	FRO	M TO	PLUGGING INT	ERVALS		
20'	40'	Sandy clay	Стау						
49'	60'	Sandy clay Sandy, slilty cl	av						
Ø60'	80'	Tan clay							
80'	90'	White clay							
90'	210'	Fine, medium and	coarse sand	and fine	gravel				
210'	2201	Gray shale							
7 CONT	TD A CTC	DIC OD I ANDOUNIED	C CEDTIEIC ATT	ON, This	or well was (1) see-t	muotod (2) maamatmist	ted or (2) plugged		
/ CONT	KACTOI	R'S OR LANDOWNER'	(mo/day/year) 5-		of well was (1) const	to the best of my know	wledge and helief		
under my jurisdiction and was completed on (mo/day/year)52008 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No									
under the	e business	name of Sargent Dr	illing		by (signature) \( \lambda \)	2/11/			
INSTRUC	CTIONS: U	se typewriter or ball point pen.	PLEASE PRESS FIRM	ILY and PRINT cle	early. Please fill in blank	s, ander ine or circle the c	orrect answers. Send top		
785-296-5	es to Kansas 522. Seno	Department of Health and Environment of WATER WELL	OWNER and retain	one for your	records. Fee of \$5.	.00 for each constructe	d well. Visit us at		

http://www.kdhe.state.ks.us/geo/waterwells.