


1 LOCATION OF WATER WELL: Fraction NW 1/4 SW 1/4 NW 1/4 Section Number 15 Township Number T 11 S Range Number R 35 EW
 County: Rawlins

Distance and direction from nearest town or city street address of well if located within city?
12.8 miles South of Stratton, NE

2 WATER WELL OWNER: Stan Faimon Ralph + Vince Pochop Trust
 RR#, St. Address, Box #: Rt. 2 Box 100
 City, State, ZIP Code: Atwood, KS 67730
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:


4 DEPTH OF COMPLETED WELL 238 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 216 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 216 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 10 gpm: Well water was 218 ft. after hours pumping gpm
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Live Stock

Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS Glued Clamped
2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded
 Blank casing diameter 4 in. to 198 ft. Dia in. to ft. Dia in. to ft.
 Casing height above land surface 18 in., weight 160 lbs./ft. Wall thickness or guage No. 173
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 198 ft. to 238 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 238 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other clay
 Grout Intervals: From 20 ft. to 2 ft., From 2 ft. to 0 ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage in pasture
 Direction from well? NA How many feet? NA

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>144</u>	<u>soil + clay</u>			
<u>144</u>	<u>173</u>	<u>fine to coarse sand + some lime</u>			
<u>173</u>	<u>175</u>	<u>lime solid</u>			
<u>175</u>	<u>178</u>	<u>fine sand to small gravel, some lime</u>			
<u>178</u>	<u>188</u>	<u>sandstone, clay + lime, + thin sand layers</u>			
<u>188</u>	<u>220</u>	<u>fine sand to small gravel</u>			
<u>220</u>	<u>231</u>	<u>sticky clay</u>			
<u>231</u>	<u>236</u>	<u>fine to coarse sand, some small gravel</u>			
<u>236</u>	<u>245</u>	<u>shale</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/28/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 495425 This Water Well Record was completed on (mo/day/yr) 3/2/05 under the business name of Barton Well Drilling, Inc. by (signature) [Signature]