

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

16447

1 LOCATION OF WATER WELL: County: CHEYENNE Fraction 1/4 1/4 NW 1/4 SW 1/4 Section Number 9 Township Number T 1 S Range Number R 42 E W

2 WELL OWNER: Last Name: Business: PLEASANT VIEW RANCH INC. Address: 2910 RD. 2 City: ST. FRANCIS State: KS ZIP: 67756 Street or Rural Address where well is located: Approx. 1.8 miles west of Rd.DD & Rd.5

3 LOCATE WELL WITH 'X' IN SECTION BOX: NW NE SW SE S W E 1 mile

4 DEPTH OF COMPLETED WELL: 80 ft. Depth(s) Groundwater Encountered: 1) 13 ft. 2) ft. 3) ft. or 4) Dry Well WELL'S STATIC WATER LEVEL: 13 ft. below land surface, measured on (mo-day-yr) 7/16/2015 Pump test data: Well water was 31 ft. after 1 hours pumping 750 gpm Well water was ft. after hours pumping gpm Estimated Yield: 1750 gpm Bore Hole Diameter: 30 in. to 80 ft. and in. to ft.

5 Latitude: N39.98036 Longitude: W102.04439 Horizontal Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude: GPS (unit make/model: Garmin Etrex Vista) (WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper: Elevation: 3332 ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID 9. Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 16 in. to 20 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in. Weight SDR26 lbs./ft. Wall thickness or gauge No. 6.15 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 20 ft. to 80 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to 80 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft. Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Direction from well? Distance from well? ft.

Table with 6 columns: 10 FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows include TOP SOIL, SANDY CLAY, COARSE SAND, FINE GRAVEL, COURSE SAND, FINE GRAVEL (BLUE), COURSE SAND, FINE GRAVEL, SANDSTONE, SHALE.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 7/15/2015 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 433 This Water Well Record was completed on (mo-day-year) 8-4-2015 under the business name of Charles Sargent Irrigation, Inc