

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Republic</u>		<u>SE 1/4 SW 1/4 SW 1/4</u>	<u>15</u>	T <u>1</u> S	R <u>5</u> EW <u>(1)</u>
Distance and direction from nearest town or city street address of well if located within city? <u>4 1/2 miles SE of Republic</u>					
2 WATER WELL OWNER: <u>RKS Holdings</u>		<u>To Edward Simms & Jeanette Sheets</u>			
RR#, St. Address, Box # : <u>PO Box 42</u>		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : <u>Bellefonte KS 66635</u>		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>21</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>21</u> ft. 2. <u>09-27-04</u> ft. 3. <u>09-27-04</u> ft.			
		WELL'S STATIC WATER LEVEL <u>6.3</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was <u>110</u> gpm. Well water was <u>28</u> ft. after <u>21</u> hours pumping <u>21</u> gpm			
		Bore Hole Diameter <u>28</u> in. to <u>21</u> in. to <u>21</u> in. to <u>21</u> in.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) ② Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes. <u>No</u> <u>X</u> ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <u>No</u>					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	CASING JOINTS: Glued <u>X</u> Clamped
② PVC		4 ABS	7 Fiberglass		Welded
Blank casing diameter <u>8.625</u> in. to <u>0</u> ft., Dia <u>8.625</u> in. to <u>3</u> ft., Dia		Threaded			
Casing height above land surface <u>24</u> in., weight <u>5.497</u> lbs./ft. Wall thickness or gauge No. <u>332</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:		12 None used (open hole)			
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
SCREEN-PERFORATED INTERVALS: From <u>3</u> ft. to <u>21</u> ft., From		10 Other (specify) <u>21</u> ft. to <u>21</u> ft.			
GRAVEL PACK INTERVALS: From <u>3</u> ft. to <u>21</u> ft., From					
FROM		TO	LITHOLOGIC LOG	FROM	TO
0	3		Top Soil - Silt & Clay		
3	6		Fine Sand		
6	16		Fine to Medium Sand & Gravel		
16	18		Blue Clay		
18	21		Shale layers - Not Solid		
RECEIVED					
JAN 10 2005					
BUREAU OF WATER					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, ② reconstructed, or ③ plugged under my jurisdiction and was completed on (mo/day/year) <u>09-27-04</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>480</u> This Water Well Record was completed on (mo/day/yr) <u>10-3-04</u> under the business name of <u>Williams Drilling Co Inc</u> by (signature) <u>Ron Williams</u>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					