		ER WELL RECORD	Form WWC-5	KSA 82a-	1212	
1 LOCATION OF WATER WELL		-		tion Number	Township Number	Range Number
County: Mephers		14 ne 1/4 n		26	T 20 S	R / E/W9
Distance and direction from near			d within city?			
05/34	Canton					
		nnie Ca	mpbe	21/		
RR#, St. Address, Box # :	2839 COM		0		Board of Agriculture,	Division of Water Resources
City, State, ZIP Code :	Counton				Application Number:	
J LOCATE WELL'S LOCATION AN "X" IN SECTION BOX:	WITH 4 DEPTH OF	COMPLETED WELL	620	. ft. ELEVAT	TON:	
AN X IN SECTION BOX:	Depth(s) Grour	dwater Encountered 1	J. F.	ft. 2	ft .	3 ,
ī ! X !	WELL'S STATE	C WATER LEVEL	ft. be	elow land surf	ace measured on mo/day/y	3-29-97
	Pur	np test data: Well wate	r was	ft. af	ter hours p	umping gpm
NW NE-						umping gpm
<u></u>	Bore Hole Diar	neter. 🥳 🕏in. to .	62	ft., a	nd	n. toft.
¥ W 1 1		- 1	5 Public water			Injection well
	1 Domesti	3 Feedlot	6 Oil field wat	er supply	9 Dewatering 12	Other (Specify below)
2M 2F -	2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well	
1 1 1 1 1	Was a chemica	l/bacteriological sample s	submitted to De	partment? Ye	s	s, mo/day/yr sample was sub-
<u> </u>	mitted				er Well Disinfected? Yes	
5 TYPE OF BLANK CASING US	SED:	5 Wrought iron	8 Concre	te tile	CASING JOINTS: Glue	ed X Clamped
1 Steel 3 R	MP (SR)	6 Asbestos-Cement	9 Other (specify below		ded
2 PVC 4 AI	BS 🌎	K Fiberglass			•	eaded
Blank casing diameter 5	_	ft., Dia	Sin to	62	ft., Dia	in. to ft.
Casing height above land surface	//)	• • • • • • • • • • • • • • • • • • • •	() ()	6.0. lbs./f	. Wall thickness or gauge !	vo. 214
TYPE OF SCREEN OR PERFOI	- •	,, .	7_PV		10 Asbestos-cem	1
1 Steel 3 St	tainless steel	5 Fiberglass		P (SR))
2 Brass 4 Galvanized steel		6 Concrete tile	9 ABS		12 None used (o	·
SCREEN OR PERFORATION O	5 Gauze	ed wrapped 8 Saw cut		·	11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapp					9 Drilled holes	(.)
2 Louvered shutter	4 Key punched	7 Torch	cut .		10 Other (specify)	
SCREEN-PERFORATED INTER		2.4 ft. to	39	ft., From	1 ft.	toft.
	From					toft.
GRAVEL PACK INTER	VALS: From	2 .0	62	ft., From	1 ft.	toft.
	From	ft. to		ft., From		
6 GROUT MATERIAL: 1	Neat cement	2 Cement grout	3 Bento	nite 4 (Other	
Grout Intervals: From	ft. to .2 . <i>0</i> .	ft., From	ft. 1	to	ft., From	ft. to ft.
What is the nearest source of possible contamination:				10 Livesto	ock pens 14 /	Abandoned water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuels	torage 15 (Oil well/Gas well
2 Sewer lines 5	Cess pool	8 Sewage lagoon		12 Fertilizer storage		Other (specify below)
3 Watertight sewer lines	Seepage pit				cide storage	
Direction from well? $E - N$				How man	y feet? 100 +	
FROM TO	LITHOLOGIC	LOG	FROM	то	PLUGGING	INTERVALS
0 18 Cla	· Y	1100 10				
	/					
18 34 Fin	e to me	d Sand				
34 62 B1	ue L Gra	y Shale				
		/				
7 CONTRACTOR'S OR LANDO	DWNER'S CERTJE(CA	FION: This water well wa	as (1) construc	cted, (2) recor	nstructed, or (3) plugged un	der my jurisdiction and was
7 CONTRACTOR'S OR LANDO completed on (mo/day/year)		FION: This water well wa				der my jurisdiction and was nowledge and belief. Kansas
	3-29-	ΓΙΟΝ: This water well wa		and this recor	d is true to the best of my ki	
completed on (mo/day/year) Water Well Contractor's License	3-29-		ell Record was	and this recor	d is true to the best of my kin (mo/day/yr)	