

1) LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: McPherson		NW 1/4 SW 1/4 NW 1/4		10		T 20 S		R 1 E/W	
Distance and direction from nearest town or city street address of well if located within city?									
3 1/2 miles South of Canton, KS									
2) WATER WELL OWNER: Arlen Becker									
RR#, St. Address, Box # : RR 2					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Canton, KS					Application Number: 42,525				
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
		4) DEPTH OF COMPLETED WELL: 80 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
WELL'S STATIC WATER LEVEL: 16 ft. below land surface measured on mo/day/yr 5/3/97									
Pump test data: Well water was ft. after hours pumping gpm									
Est. Yield 750-800 gpm: Well water was 48 ft. after 2 hours pumping 800 gpm									
Bore Hole Diameter: 30 in. to 82 ft., and in. to ft.									
WELL WATER TO BE USED AS:									
5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
X Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5) TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
X PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded									
Blank casing diameter: 16 in. to 40 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface: 12 in., weight 16.15 lbs./ft. Wall thickness or gauge No. 500									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
X PVC 10 Asbestos-cement									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Continuous slot X Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 40 ft. to 80 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 20 ft. to 80 ft., From ft. to ft.									
6) GROUT MATERIAL:									
1 Neat cement X Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination: None within 1/4 mile									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 3 Top Soil									
3 28 Clay Brown									
28 80 Sand Medium to Fine									
80 82 Gray Shale									
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/3/97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 5/14/97 under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									

12