



USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County McPherson	Fraction SW 1/4 S 1/4 NW 4	Section number 4	Township number T 20 S R 1 E	Range number 1
2. Distance and direction from nearest town or city: 1 mi. west of		3. Owner of well: Blackstone Drilling Co.				
Street address of well location if in city: Canton, 2 1/2 mi. south on east side		City, state, zip code: P.O. Box 1184, McPherson, Kans. 67460				
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 6 in. Completion date 11-10-78 Well depth 105 ft.		
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
5. Type and color of material				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input checked="" type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Top soil		From 0 To 3		9. Casing: Material Plastic Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 18 lbs./ft.		
Gray clay		3 15		Dia. 3 in. to 35 ft. depth Wall Thickness: inches or Dia. 2 in. to 35 ft. depth gage No. 214		
Brown clay		15 30		10. Screen: Manufacturer's name Certain steel Type sawed Dia. 3 Slot/gauze 1/4 Length 20 Set between 85 ft. and 105 ft. ft. and ft.		
Fine sand w/clay		30 33		Gravel pack? yes Size range of material 1/8-1/4		
Brown clay		33 45		11. Static water level: 48' mo./day/yr. 48 ft. below land surface Date 11/10/78		
Clay		45 48		12. Pumping level below land surfaces: 48 ft. after 1 hrs. pumping 20 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 20 g.p.m.		
Hard white rock		48 49		13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
Fine sand		49 53		14. Well head completion: 18 inches above grade Pitless adapter		
Brown clay		53 57		15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
Hard spot		57 58		16. Nearest source of possible contamination: ft. Direction none Type Well disinfected upon completion? Yes <input checked="" type="checkbox"/> No		
Clay		58 60		17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
Hard rock		60 64		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Rosenkrantz-Bemis, Inc. Business name License No. 134 Address 1211 W. 4th, Hutchinson, Kans. Signed Mike Fowen Date 6-18-79 Authorized representative		
White clay and fine sand		64 75				
Clay		75 78				
Med. sand		78 81				
Med. sand w/clay		81 83				
(Use a second sheet if needed) Med. sand		83 90				
18. Elevation:		19. Remarks:				
		Med. sand w/little clay		90 100		
		Shale		100 105		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						