WATER WELL REC	CORD	Form W	WC-5	Di	vision of Wate	r Resources App. N	_{o.} 46	, 679	
1 LOCATION OF WATER WELL:		Fraction			on Number	Township No.		Vumber	
County: McPherson		1/4 NE 1/4 NT	w 1/4 NW 1/4				R 1		
Street/Rural Address of Well Location; i		if unknown, distance &	direction			System (GPS) in			
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)				
· —					Longitude: (in decimal degrees)				
5 miles South & 2 miles West of Canton, KS					Elevation:				
					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: Charles Ratzlaff					Collection Method:				
RR#, Street Address, Box #: 2519 Dakota Rd.					GPS unit (Make/Model:)				
City, State, ZIP Code : Canton, KS 67428					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Calcal, 10 0/420					Est. Accuracy:				
3 LOCATE WELL					,				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL									
SECTION BOX:	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -								
N WELL'S STATIC WATER LEVEL35ft. below land surface measured on mo/day/yr9/2							20/10		
Pump test data: Well water wasft. after hours pumping								gpm	
EST. YIELD. 1.7.5gpm. Well water wasft. after hours pumping									
W E		eterin. to						C.	
		TO BE USED AS:						well	
	☐ Domestic								
SW SE		☐ Industrial ☐							
		bacteriological sample							
s						105 202110			
mile	i jes, mo, daj, ji sampie was saometea								
water well distillected: LX 1es [] 140									
5 TYPE OF CASING U									
CASING JOINTS:									
Casing diameter10 in. to									
Casing height above land surface12 in., Weight .8.878lbs./ft., Wall thickness or gauge No413									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter									
SCREEN-PERFORATED INTERVALS: From 39 ft. to 80 ft., From ft. to ft.									
From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: FromQ									
What is the nearest source of possible contamination:									
Septic tank								below)	
Sewer lines									
Direction from well		II reedyard	Feruitzer s	Storage	□ Oil well/ga ell 700	s wen	• • • • • • • • • • • • • • • • • • • •		
		IC I OC				OC (4) DI I	CCTNC I	OTTETETET	
FROM TO	LITHOLOG	IC LOG	FROM	TO	LITHU. LC	OG (cont.) <u>or</u> PLU	ו טמוטטי	INIEKVALS	
0 2 Topso									
	gray								
13 27 Clay,									
	fine								
31 40 Clay,									
40 70 Sand,	fine								
70 71 Limes	Limestone							-	
	Sand, fine w/small clay layers								
78 80 Shale	e, green	,	1.						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) 9/20/10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No138 This Water Well Record was completed and vertex and series.									
under the business name of Peterson Irrigation, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwe									