VATER WELL RECORD			Form W	WC-5	Division of Wa	ter Resources App. N	0. 20120850
LOCATION OF WATER WELL:		Fraction		Section Number		Range Number	
County: McPherson		C 4N/24 NE		17	T 20 S	R 1 □E 🗗 W	
		Address of Well Location;			Global Positionia	ng System (GPS) ir	nformation:
fron	n nearest	town or intersection: If at	owner's address, check	Latitude: (in decimal degrees)			
4 1/4 South, 1 West of Canton					Longitude: (in decimal degrees)		
4. (1974) (1974) ≰a (1984) (1974) (1974)					Elevation:		
2 WATER WELL OWNER: Trek AEC					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:		
RR#, Street Address, Box #: 155 N. Market- Ste 710					GPS unit (Make/Model:)		
City, State, ZIP Code : Wichita, KS 67202				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	,,,	VVICIIII	, NO 01202		Est. Accuracy:	<3 m, 3-5 m,	5-15 m,
	CATE W	ELL		- 00			
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80 ft.						
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)						
Pump test data: Well water was							pinggpm
w  N	W   N	Bore Hole Diam	eter 10 in to	80	ft and i	n. to	.р.п.д gpm
Bore Hole Diameter 10							
S.	v   s	Domostic	☐ Feedlot 🗹	Oil field wat	er supply 🔲 I	Dewatering []	Other (Specify below)
13	<b>V</b>			Domestic-lav	vn & garden 🔲 N	fonitoring well	
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ✓ Yes No							
TYPE	OF CA	SING USED: Steel	PVC D	Other			
CASING	G JOINT	S: 🗹 Glued 🗌 Clam	nped  Welded	☐ Threaded	i		
Casing diameter 5 in. to .80 ft., Diameter in. to ft., Diameter in. to ft.							
Casing	g height	above land surface!	in., Weight	SDR-26	lbs./ft., Wall th	ickness or gauge N	0
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 80 ft. to 40 ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From 80 ft. to .20 ft., From ft. to .ft.							
From							
Frout In		From	ft From	20	A to 0	From	A to £
		est source of possible conta	mination:	• • • • • • • • • • • • • • • • • • • •		., 110111	. It. 10It.
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Diago	Watertig	ht sewer lines Seepage pr		Fertilizer st			
ROM	TO TO	n well South LITHOLOG	IC LOG		from well1000ft		CODIO DISTRICTO
)	4		IC LOU	FROM	TO LITHO. I	COO (cont.) or PLU	GGING INTERVALS
í ———	10	Top soil Fine sand	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				· · · · · · · · · · · · · · · · · · ·
0	33	Tan & gray clay					
33	49	Sand & gravel- sand					
~ <del>99</del>	55	Green clay					
55	74	Sand & gravel- fine to s	mail				
74	80	Green shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-15-12							
under the business name of ROSENCIANTZ-BEMIS by (signature)							
TO INCCITORS. Use ty Dewnier of Dail Doill Den. PLEANE PREMY and PRINT clearly. Please till in blanks and sheek, the commet answers. Computer the commet answers.							
White, blue, pink) to Kansas Depar treent of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
aip.//wwv	v.kuiieks.g	ov/waterwell/index.html.	O Div mid i	viic 101 y		or abled for each co	iisu ucied well. VI sit us at
SA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							