WATE	R WEI	LL RECORD	Form WWC-5		Division of Water	Resources Ann N	49,280	
		OF WATER WELL:	Fraction	T		Township No.	Range Number	
1		Pherson	NW 14 NW 14 NE 14 NW		29	T 20 S	R 1 DE WW	
					Global Positioning			
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					398 (Gr 3) 1	(in decimal degrees)	
i e				۱۰ ا	Landitude: 97.4584	470	(in decimal degrees)	
6 m	iles Sou	th and 1-3/4 miles West	of Canton, Ks.	1	Elevation: 1536 ft	::	(iii decimai degrees)	
·					Datum: WGS 84,		 7 NAD 27	
2 WATER WELL OWNER: Clyde Jost- Jost Farms					Collection Method:	MI NAD 63, L) NAD 21	
RR#, Street Address, Box #: 916 220th					GPS unit (Make/Model:)			
C's Ct and C I					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Hillsboro, Kansas 67063					Est. Accuracy:			
3 LOCATE WELL								
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 73.5 ft.							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	N WELL'S STATIC WATER LEVEL. 25							
	Pump test data: Well water wasft. after							
1 .	ECT VIELD 200 com Well water was A -A-							
w	W E Bore Hole Diameter							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
SV	V S	E Domestic						
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
	S		day/yr sample was submitted		*************			
	I mile	Water well disin	fected? 📝 Yes 🔲 No					
5 TYPE OF CASING USED: Steel P PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter19 in. to								
Casing diameter 10								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
GRAVEL FACK INTERVALS. FIGHT								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From . 0								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well None within 1/4 mile ☐ Distance from well ☐								
FROM	TO	LITHOLOG						
			IC LOG FROM	1 1	TO LITHO. LO	G (cont.) or PLC	JGGING INTERVALS	
	3	Topsoil						
3	7	Clay, tan					· · · · · · · · · · · · · · · · · · ·	
7	12	Clay, sandy				•		
12	34	Clay, tan						
34	54	Sand, fine to medium						
54	64	Gravel w/floating shale						
64	74	Sand, fine w/clay 50/50						
· · · · · · · · · · · · · · · · · · ·		<u> </u>						
				+			***************************************	
		AND CO. 1. C.						
7 CONTRACTORS OR LANDOWNERS CERTIFICATION. This was the state of the s								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)12/23/2015 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of Peterson McNett Drilling, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html