WATER	WELL REC	CORD	Form WV	VC-5	Divi	ision of Water	Resources App. No	o. L	
1 LOCA	TION OF WA		Fraction '4 SE '4 NE	1/4 NW 1/4	Section	n Number 29	Township No. T 20 S	Range Number R 10 ☐E ☑W	
County: Rice ½ SE ½ NE ½ NW ½ Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from ne	from nearest town or intersection: If at owner's address, check here					Latitude:			
					Elevation: Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Rollie Peter					Collection Method:				
	RR#, Street Address, Box #: 1560 2nd Road City, State, ZIP Code : Raymond Ks 67573				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
		Raymon	id, Ks. 67573					5-15 m, >15 m	
1	LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40								
1	ON BOX:	Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. after hours pumping								
W NW NE E ST. YIELD. N/Agpm. Well water was						to	ft.		
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
SW SE									
S If yes, mo/day/yr sample was submitted									
mile Water well disinfected?									
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other									
Casing diameter .5 in. to .40 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From40 ft. to20 ft., From ft. to ft.									
From									
GRAVEL PACK INTERVALS: From 40 ft. to .12 ft., From ft. to									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 12 ft. to ft., From ft. to ft.									
Grout Inte	rvals: From	ft. to	ft., From	.12	ft. to .V.	ft.,	From	ft. toft.	
What is the	e nearest source	of possible conta	mination:	7 Livestock r	ene [Insecticide	storage	ner (specify below)	
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☑ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well South ☐ Distance from well .20.									
	TO TO	LITHOLOG	IC LOG	FROM	TO We			JGGING INTERVALS	
0 7									
7 4		gravel- med to	large						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .3-10-12 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) . 4-3-12									
under the business name of Rosencrantz- Bemis by (signature) of Rosencrantz- Bemis by									
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at									
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									
MON 079-17	414				Cn	~~r. Lagivvi	те сору, 🗀 вт	ue Copy, 🔲 Pink Copy	