WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | | | | | Topeka, Kansas 00020 |
|------------------------------------------------------------------------------------------------|----------------------------------|-----------|----------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| 1. Location of well: | County | Fraction | Sec | tion number | Township number Range number |
| Location of well: | Rice ne/4 &w 1/4 sw 1/4 | | 4 | 2 4 | T 20 S R 10 E/W |
| | ction from nearest town or city: | | Owner of | | City of Raymond |
| 호 mile East 300 ft. north of Raymond R. or street: Street address of well location if in city: | | | | Raymond, Ks. | |
| AS. City, state, zip code: | | | | 6. Bore hole dia in. Completion date | |
| 4. Locate with "X" in section below: Sketch map: | | | | 6. Bore hole dia. 48 fr. Completion date Well depth 48 fr. 8-25-76 | |
| - N | | | | | |
| | | | | | 7Cable tool XRotaryDrivenDugHollow rodJettedBoredReverse rotary |
| | | | | | 8. Use: Domestic X Public supply Industry |
| | | | | | Irrigation Air conditioning Stock |
| | | | | | Lawn Oil field water Other |
| | | | | | 9. Casing: Material DV Height Above or below |
| <u> </u> | | | | | Threaded Welded _X |
| S Authorities | | | | | Dia, 6 in. to 48ft. depth Wall Thickness: inches or |
| 5. Type and color of material | | | | om To | Diain. to ft. depth gage No |
| 3. Type and color of | march a. | | | | 10. Screen: Manufacturer's name |
| Top soi | 1 | | | ь | Type DVC Dig. 6 |
| 100 5011 | | | | - | Type DVC Dia. Dia. Length 16 ft. |
| Brown clay | | | | 22 | 2 Set between 32 ft. and 48 ft. |
| Soft sandy clay | | | 2 | 2 32 | Gravel pack? X Size range of material 3/4=3/18 |
| Good clean sandand gravel | | | ١, | 32 48 | 11. Static water level: mo./day/yr. |
| <u> </u> | ean sandand gra | V G T | | 72 - | 12. Pumping level below land surfaces: |
| | | | | _ | ft. after hrs. pumping g.p.m. |
| | | | | | ft. after hrs. pumping g.p.m. |
| | | 7.1 | | | Estimated maximum yieldg.p.m. |
| | | | | | 13. Water sample submitted: mo./day/yr. |
| | | | + | \rightarrow | Yes No Date 14. Well head completion: |
| | | 1 / 1/ | 1 | \rightarrow | X Pitless adapter 12 Inches above grade |
| June a | vas Durgla | + balle | | \rightarrow | 15. Well grouted? X |
| were was suged + bailed | | | ر ایس | | With: Neat cement Bentonite X Concrete |
| + gramp re succe 1 rouped | | | | 1 | Depth: From O ft. to 21 ft. |
| 9-9-76 | | | | / | 16. Nearest source of possible contamination: |
| | | | | / | Well disinfected upon completion? Yes No |
| | | | | $\overline{}$ | 17. Pump:Not installed ~~ |
| | | | | | Manufacturer's name Red Jacket |
| | | | | | Model number 1066 HP Volts 279 |
| | | 100 | + | | Type: |
| | | | | | X Submersible Turbine |
| | man manager of the later | 1 . 1 . 1 | | | Jet Reciprocating |
| 71 | (Use a second s | | | | Centrifugal Other |
| 18. Elevation: 19. Remarks: | | | | | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report |
| Well was hoster up to | | | | | is true to the best of my knowledge and belief. |
| Topography: | | | | Rosencrantz-Bemis 134 | |
| Topography: Hill Slope Upland Valley Walter Sigstem, motor was Changed to 3 phase 9-28-75 | | | | Business name Great Bend. Ks. | |
| X Slope | Marged 1 | 3 shase 8 | 128 | 75 | Address Great Bella Rs. |
| Upland Valley | Counger | , | | | Signed Authorized representative |
| | <u> </u> | | | | |