WATER			m WWC-5		ision of Water				
			nange in Well Use		urces App. No.		Well ID		
1 LOCATION OF WATER WELL:			Fraction		tion Number	Township Number			
County: Barton									
2 WELL OWNER: Last Name: Rehme First: Norman Street or Rural Address where well is located (if unknown, distance and									
Business:		~		direction from	irection from nearest town or intersection): If at owner's address, check here:				
Address:	1127 N G	arfield Ave		3/4 South, 2	outh, 2 3/4 East of Ellinwood				
Address: City: Loveland State: CO ZIP: 80537									
						00.00=			
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:40									
1			ater Encountered: 1)		Longitu	de: 98.5214	(decimal degrees		
SECTION BOX: N Depth(s) Gloundwater 2) ft.			. 3) ft., or 4)	Dry Well			■ NAD 83 □ NAD 2		
WELL'S S7			L'S STATIC WATER LEVEL:10			Source for Latitude/Longitude:			
		below land sur	below land surface, measured on (mo-day-yr)						
NW	NE		above land surface, measured on (mo-day-yr)			(WAAS enabled? ☐ Y	(es 🔲 No)		
		Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
w	E	after hours pumping gpm			☐ Onl	Online Mapper:			
sw	X _E	Well water was ft.							
3W	32	after hours pumping gpm			6 Elevation	on. A J	☐ Ground Level ☐ TO		
		Estimated Yield:		6 Elevation:					
1	S	Dole Hole Diameter.							
I lillie									
1		BE USED AS:	W., 0 1		10 🗖 0'''	Stald Was a Commit of			
1. Domestic:			Water Supply: well ID				se		
Housel			tering: how many wells?						
☐ Lawn &			er Recharge: well ID						
_	■ Livestock 8. ☐ Monitoring: well ID								
3. Feedlo				Extraction			harge Inj. of Water		
4. Industr			very						
Was a chei	mical/bacte	riological sample s	ubmitted to KDHE?	Yes No	If yes, date s	ample was submitted:			
		Yes 🗆 No							
8 TYPE OF CASING USED: ☐ Steel PVC ☐ Other									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped ■ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer	Lines	☐ Cess Po	ool 🔲 Sewage L		Fuel Storage		ned Water Well		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
			Distance from v						
10 FROM	TO		LOGIC LOG	FROM	TO L	ITHO. LOG (cont.) or F	PLUGGING INTERVAL		
0		Top soil				,			
3	26	Sand & gravel- me	ed clean coarse loose						
26	28	Tan clay							
28			ed clean coarse loose						
39		Dark gray shale							
39.5		Sandstone- clean	coarse						
33.3	-70	Canastone dean		Notes:	II				
				Tioles.					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)2-9-18 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo-day-year)2-21-18									
under the business name of Rosencrantz-Bemis Ent Inc. Signature									
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,									
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
1		s.gov/waterwell index.ht		KSA 82a-12			Revised 7/10/2015		