WATER WELL RECORD			Form WWC-5	Division of Wate	r Resources App. No	0.	
•		OF WATER WELL: -		Section Number	Township No.	Range Number	
	ity: Bar		1/4 NW 1/4 NW 1/4 SW 1/2		T 20 S	R 12 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from	nearest	town or intersection: If at ov	wner's address, check here .	Latitude:38.28.1	Latitude: .38.28.159 (in decimal degrees)		
4 1/2 South, 3 West of Ellinwood					Longitude: 098.64349 (in decimal degrees)		
			Elevation:	Elevation:			
2 WA	TER W	ELL OWNER: Bob Lond	•				
RR#, Street Address, Box #: 504 N. Main				Collection Method:	GPS unit (Make/Model:)		
City, State, ZIP Code : Ellinwood, KS 67526					Digital Map/Photo, Topographic Map, Land Survey		
	,, -	Ellinwood	1, NS 0/520	Est. Accuracy:			
3 LOCATE WELL							
WIT	H AN "X		OMPLETED WELL 80				
SEC	TION BO	X: Depth(s) Groundy	Depth(s) Groundwater Encountered (1)				
	N	WELL S STATIC WATER LEVEL					
	Pump test data: Well water wasft. after						
NV	EST. YIELD. WAgpm. Well water was						
w							
X	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
		Water well disinfe					
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casin	g diamet	er .5 in. to .80	ft., Diameter in	. to ft., D	iameter	in. to ft.	
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From 80 ft. to 60 ft., From ft. to ft.							
From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS: From 80 ft. to 20 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other Grout Intervals: From ft. to ft., From 20 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Pond Direction from well South Distance from well20ft.							
FROM	TO					IGGING INTERVALS	
	4	LITHOLOGIC	C LOG FROM	TO LITHO. LO	og (cont.) or PLU	GOING INTERVALS	
0	18	Sandy top soil					
	29	Brown clay					
18	45	Sand & gravel- med, coa	irse				
29 45	80	Tan & gray clay	nod				
43	00	Sand & gravel- small to r	neu				
	-						
		· · · · · · · · · · · · · · · · · · ·					
7.000	CD A CT	ODIC OD LANDOWNERS	CEDTIEICATION	11 5			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, re							
under my jurisdiction and was completed on (mo/day/year) .7-20-15							
Natisas	water W	en Contractor's License No.	Bemis Ent Inc	kecora was completed	on (mo/day/year)	.!-40-10	
INSTRUC	CTIONS	Use typewriter or hall point pen	PLEASE PRESS FIRMI V and PRINT	by (signature)	and check the correct	answers Send one convito	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html