WATER WELL RECORD			Form W	WC-5	Division of Water Resources App. No.		
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.	Range Number
County: Barton			1/4 SW 1/4 NW	/ ¼ SE ¼	33	T 20 S	R 15 □E 🗹 W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) in							
from nea	arest town o	or intersection: If at o	owner's address, check	Latitude: (in decimal degrees)			
800 Pawnee Avenue, Pawnee Rock, KS					Longitude: (in decimal degrees)		
					Elevation:   Datum:   WGS 84,   NAD 83,   NAD 27		
2 WATER WELL OWNER: Debora Bader					Collection Method:		
RR#, Street Address, Box #: P O Box 82					GPS unit (Make/Model:)		
Gir Grand TID G. I			Rock, KS 67567 Digital Map/Photo, Topographic Map, La				
,		T awnee	1100K, 110 07 307		Est. Accuracy: <		
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 43							
	Depth(s) Groundwater Encountered (1)						
	WELL'S STATIC WATER LEVELtt. below land surface measured on mo/day/yr. 3-20-14						
Pump test data: Well water wasft. after							
WNWNE EST. YIELD. N/Agpm. Well water was							
W							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
mile  Water well disinfected? ▼ Yes □ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS:  Glued  Clamped  Welded  Threaded							
Casing diameter .5 in. to .43 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
Bra			None used (open he	ole)			
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 43 ft. to 20 ft., From ft. to ft.							
From ft. to ft. From ft. to ft							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Inter	vals: Fro	om ft. to	ft., From	f	t. to ft.,	From	ft. toft.
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well House							
Direction from well South Distance from well 100ft							
FROM	ТО	LITHOLOG	IC LOG	FROM			GGING INTERVALS
0 3	Top	soil					
3 16		n clay					
16 34		l & gravel- med, lo	ose				
34 43	3 Fire	clay				a ve	
				<b> </b>			
				-			
T CONTRACTORIS OR LANDOWNER OF CERTIFICATION TO THE STATE OF THE STATE							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \big  \) constructed, \( \big  \) reconstructed, or \( \big  \) plugged							
under my jurisdiction and was completed on (mo/day/year) .3-28-14							
under the business name of Rosencrantz-Bemis Ent Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar truent of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy							