			ATER WELL REC	ORD Form W	WC-5 K	SA 82a-12	212 ID No					
_			Fraction		NT 7	Secti	on Number	l	hip Number		ige Numb	
	Pawnee		SE14	SE 1/4	NW 14		12	T	20 s	l R	16	₹ /W
			wn or city street a	ddress of well if I	ocated within	n city?						
		<u>East of I</u> NER: Kent										
_		T. 4	1 Box 38					_				
RH#, St. Ad City, State,	dress, Box		ee Rock, Ks	. 67567					l of Agriculture, [ation Number:			sources
		CATION WITH		OMPLETED WEI	LL9	Ω	ft. ELEVAT					
	SECTION			dwater Encounte	-							
	· N		WELL'S STATIC	WATER LEVEL	34	ft. belov	v land surface	e measured	on mo/day/yr	4-17-Q	6	
	- i - /	;	Pur	np test data: We	ell water was	3	ft. a	fter	hours p	oumping		gpm
	-NW -	- NE		A gpm: We TO BE USED AS				8 Air condit		njection we		gpm
	' X	:	1 Domestic		6 Oil fie	eld water s	supply	9 Dewaterii	ng 12 (Other (Spec	ify below	
w	1 4	- ; - =	2 Irrigation	4 Industrial	7 Dome	estic (lawr	n & garden)	10 Monitorin	g well			
	1	1							v			
	-sw -	- SE		l/bacteriological s	sample subm	nitted to D					-	vas sub
	;	i	mitted				vva	ater Well Disi	nfected? Yes	HIH	No	
-1	S									. V		
TYPE C 1 Stee		CASING USED: 3 RMP (S		5 Wrought iron 6 Asbestos-Cer		3 Concret	e tile :pecify below)		G JOINTS: Glue	edΩC dedC		
2 PVC		4 ABS	on)	7 Fiberglass			pecity below;			eaded		
Blank casin	ng diameter	5	in. to	50 _{ft.,}	, Dia		in. to		ft., Dia	in.	to	ft.
Casing heig	ght above la	ınd surface	36	in., weight	SDR-2	6		lbs./ft. Wall t	hickness or gua	ge No		
TYPE OF S	SCREEN OF		ON MATERIAL:			<u>7 PVC</u>			0 Asbestos-Cer			
1 Stee		3 Stainles	ss Steel ized Steel	5 Fiberglass6 Concrete tile		8 RMF 9 ABS	P (SR)		1 Other (Specify 2 None used (o			
2 Bras							•		` '			
		RATION OPENI		5 Guazed wrapped 6 Wire wrapped			8 Saw cu 9 Drilled I		11 None	(open he	ole)	
	tinuous slot /ered shutte		Mill slot Key punched		7 Torch cut	•			specify)			ft
		ED INTERVALS	• •	90 ft	. to5	0	ft From		ft. to	·		ft
			From	90 ft	. to	·X·····	ft., From		ft. to	o		ft.
C	GRAVEL PA	CK INTERVALS	S: From	90ft	. to	.0	ft., From		ft. to	······		ft
			From	ft	. 10	•••••	π., ⊢rom	•••••	π. το	o		π
	T MATERIA		at cement	2 Cement gr		3 Bento			hole plug			
Grout Inter	vals: Fror	m	ft. to	ft., From		ft. to		ft., Fron	ı <u>20</u>	ft. to	0	ft
What is the	nearest so	urce of possible	e contamination:				10 Livest			Abandoned		/ell
1 Sep	tic tank	4 Late		7 Pit privy					Oil well/Gas well			
	2 Sewer lines 5 Cess pool			8 Sewage lagoon			12 Fertilizer storage 16 Other (specify				-	
3 Watertight sewer lines 6 Seepage pit			9 Feedyard			~ _ ^			House			
Direction fr		North	=				How man	y feet?				
FROM	то		LITHOLOGIC	CLOG	F	ROM	то		PLUGGING II	NTERVALS		
0	70	Silty cl										•
70	80	Sandrock										
80 88	88 90		lty clay							-17-		
	90	Sandrock										
				- 11								
							~					
· Ame				· - w				***************************************				

										16.1		
⁷ contr	ACTOR'S	OR LANDOWN	ER'S CERTIFICA	TION: This water	r well was (I) <u>constru</u>	cted, (2) reco	onstructed, o	r (3) plugged ur	nder my jur	isdiction	and wa
completed o	on (mo/day/)	year)4 - .2	22 - 06134				and this re	cord is true to	the best of my k	knowledge a	and belief	f. Kansa
					s Water Wel	Record v						
	usiness nan	1103	sencrantz-	****				signature)	Hora (Ilux		
INSTRUCT	TIONS: Use type	ewriter or ball point	pen. PLEASE PRESS F	IRMLY and PRINT clea	arly. Please fill in	blanks, unde	erline or circle the	correct answers	. Send top three copie	es to Kansas D	epartment o	of Health

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.