ILOCATION OF WATER WELL:   Fraction   County:   Pawnee   Fraction   Fraction   Section Number   Township No.   Range Number   County:   Pawnee   Fraction   Section Number   Township No.   Range Number   Township Nu
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here   Approximately 6 miles west and 5 miles north of Pawnee Rock.   Approximately 6 miles west and 5 miles north of Pawnee Rock.   Approximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees unknown   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.3374 (in decimal degrees proximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 38.33374 (in decimal degrees proximately 6 miles west and 5 miles west and 5 miles north of Revalue   Latitude: 38.3374 (in decimal degrees proximately 6 miles west and 5 miles proximately 6 miles west and 5 miles west and 5 miles proximately 6 miles west and 5 miles proximately 6 miles west and 5 miles proximately 6 miles west and 5 miles proximately
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here
Approximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 333.33/4 (in decimal degrees P90.08878 (in decimal degrees P90.08878)   Approximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 990.08878 (in decimal degrees P90.08878)   Approximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 990.08878 (in decimal degrees P90.08878)   Approximately 6 miles west and 5 miles north of Pawnee Rock.   Latitude: 990.08878 (in decimal degrees P90.08878)   Approximately 1 miles   Approximately 1
2 WATER WELL OWNER: Hanson Farming Co.  RR#, Street Address, Box #: 1009 X Road City, State, ZIP Code : Pawnee Rock, KS 67567  3 LOCATE WELL WITH AN "X" "IN SECTION BOX: N    A DEPTH OF COMPLETED WELL   WITH AN "X" "IN SECTION BOX: N   WELL'S STATIC WATER LEVEL   36.40   ft. below land surface measured on mo/day/yr   04/08/11   ft.    NWNE
2 WATER WELL OWNER: Hanson Farming Co.  RR#, Street Address, Box #: 1009 X Road City, State, ZIP Code : Pawnee Rock, KS 67567  3 LOCATE WELL WITH AN "X" "IN SECTION BOX: N    A DEPTH OF COMPLETED WELL   WITH AN "X" "IN SECTION BOX: N   WELL'S STATIC WATER LEVEL   36.40   ft. below land surface measured on mo/day/yr   04/08/11   ft.    NWNE
2 WATER WELL OWNER: Hanson Farming Co.
RR#, Street Address, Box #: 1009 X Road City, State, ZIP Code : Pawnee Rock, KS 67567    GPS unit (Make/Model: WAAS   Digital Map/Photo,   Topographic Map,   Land Survey   Land Survey   Digital Map/Photo,   Topographic Map,   Land Survey   Land Survey   St. (2 m, 3.5 m, 3.5 m, 5.15 m, 15 m   15 m   SECTION BOX:   N
City, State, ZIP Code    Pawnee Rock, KS 67567
SLOCATE WELL   WITH AN "X" IN   SECTION BOX:   A DEPTH OF COMPLETED WELL   74   ft.   Depth(s) Groundwater Encountered (1)   ft. (2)   ft. (3)   O4/08/11   ft.   O4/08/11   f
WITH AN "X" IN SECTION BOX:    N
Depth(s) Groundwater Encountered (1)
N
Pump test data: Well water wasnot checked _ ft. after
STYPE OF CASING USED:   Steel   PVC   Other   Casing diameter   5 in. to   61 ft., Diameter   5 in. to   61 ft., Diameter   5 in., Weight   2.36   Ibs./ft., Wall thickness or gauge No.   214   TYPE OF SCREEN OR PERFORATION MATERIAL:   Steel   Stainless Steel   PVC   Other (Specify)   Steel   Stainless Steel   Stainless Steel   PVC   Other (Specify)   Steel   Stainless Steel   S
Bore Hole Diameter
WELL WATER TO BE USED AS:
Irrigation   Industrial   Domestic-lawn & garden   Monitoring well   Stock Well   Was a chemical/bacteriological sample submitted to Department?   Yes   No   If yes, mo/day/yr sample was submitted   Yes   No   STYPE OF CASING USED:   Steel   PVC   Other   Other   CASING JOINTS:   Glued   Clamped   Welded   Threaded   Casing diameter   5   in. to   61   ft., Diameter   in. to   ft., Diameter   in. to   ft. Casing height above land surface   36   in., Weight   2.36   lbs./ft., Wall thickness or gauge No.   214   TYPE OF SCREEN OR PERFORATION MATERIAL:   Steel   Stainless Steel   PVC   Other (Specify)   Brass   Galvanized Steel   None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE:   Other (Specify)   SCREEN OR PERFORATION OPENINGS ARE:   Continuous slot   Mill slot   Gauze wrapped   Torch cut   Drilled holes   None (open hole)   SCREEN-PERFORATED INTERVALS: From   61   ft. to   71   ft., From   ft. to   ft. From   ft. ft. Fr
Was a chemical/bacteriological sample submitted to Department?   Yes   No
S
STYPE OF CASING USED:   Steel   PVC   Other
STYPE OF CASING USED:   Steel   PVC   Other
CASING JOINTS:  Glued
Casing diameter 5 in. to 61 ft., Diameter in. to ft., Diameter in. to ft.  Casing height above land surface 36 in., Weight 2.36 lbs./ft., Wall thickness or gauge No. 214  TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)  Brass Galvanized Steel None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)  Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 61 ft. to 71 ft., From ft. to ft.  From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 25 ft. to 71 ft., From ft. to ft.
TYPE OF SCREEN OR PERFORATION MATERIAL;  Steel Stainless Steel PVC Other (Specify)  Brass Galvanized Steel None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)  Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 61 ft. to 71 ft., From ft. to ft.  From ft. to ft., From ft. to ft., From ft. to ft.
TYPE OF SCREEN OR PERFORATION MATERIAL;  Steel Stainless Steel PVC Other (Specify)  Brass Galvanized Steel None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)  Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 61 ft. to 71 ft., From ft. to ft.  From ft. to ft., From ft. to ft., From ft. to ft.
Steel Stainless Steel ✓ PVC Other (Specify)   Brass Galvanized Steel None used (open hole)   SCREEN OR PERFORATION OPENINGS ARE: Continuous slot ✓ Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)   Louvered shutter Key punched Wire wrapped Saw cut Other (specify)   SCREEN-PERFORATED INTERVALS: From 61 ft. to 71 ft., From ft. to   GRAVEL PACK INTERVALS: From 25 ft. to 71 ft., From ft. to ft.   From ft. to ft., From ft. to ft.
□ Brass □ Galvanized Steel □ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: □ Continuous slot ☑ Mill slot □ Gauze wrapped □ Torch cut □ Drilled holes □ None (open hole) □ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)  SCREEN-PERFORATED INTERVALS: From 61 ft. to 71 ft., From ft. to ft.  From ft. to ft., From ft., F
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)  Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 61 ft. to 71 ft., From ft. to ft.  From ft. to ft., From ft., From ft. to ft., From ft.,
☐ Louvered shutter         ☐ Key punched         ☐ Wire wrapped         ☐ Saw cut         ☐ Other (specify)           SCREEN-PERFORATED INTERVALS: From         61         ft. to         71         ft., From         ft. to         ff.           From         ft. to         ft., From         ft. to         ff.           GRAVEL PACK INTERVALS: From         25         ft. to         71         ft., From         ft. to         ff.           From         ft. to         ft., From         ft. to         ff.
From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 25 ft. to 71 ft., From ft. to ft.  From ft. to ft., From ft. to ft.
From ft. to ft., From ft. to ft.  GRAVEL PACK INTERVALS: From 25 ft. to 71 ft., From ft. to ft.  From ft. to ft., From ft. to ft.
From ft. to ft., From ft. to f
From ft. to ft., From ft. to f
Grout Intervals: From ft. to ft., From 5 ft. to 25 ft., From ft. to ft.
, -
What is the nearest source of possible contamination:
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None Known
Direction from well  Distance from well
FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVAL
0 6 Topsoil
6 14 Clay, tan, hard
14 24 Clay, reddish brown, soft
24 61 Clay, brown, sandy, soft, with gravel, fine
61 71 Dakota drift, coarse - fine, with clay
71 82 Clay, red, white and yellow
82 92 Clay, white, hard, with thin sandstone
streaks @ 89' and 92'
92 94 Sandstone, tan, hard
94 160 Clay, red, gray, yellow, hard
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 04/08/11 and this record is true to the best of my knowledge and belief.
under my jurisdiction and was completed on (mo/day/year)
Railsas water well contractor's Diechise No.
under the business name of Clarke Well & Equipment, Inc. by (signature)  INSTRUCTIONS: Use typewriter or hall point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copy
under the business name of Clarke Well & Equipment, Inc. by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three cop (white blue, nink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-13
under the business name of Clarke Well & Equipment, Inc. by (signature)  INSTRUCTIONS: Use typewriter or hall point pen, PLEASE PRESS FIRMLY and PRINT clearly, Please fill in blanks and check the correct answers. Send three copy