WATER WELL RECORD			Form WWC-5		Division of Wate	r Resources App. No		
	1 LOCATION OF WATER WELL:		Fraction		Section Number			
	unty: Pa		1/4 SW 1/4 NV	N 1/4 NW 1/4		T 20 S	R 16 ☐E [7]W	
Stre	eet/Rural	Address of Well Location; i	f unknown, distance	Global Positioning	System (GPS) inf	formation:		
	from nearest town or intersection: If at owner's address, check here .				Latitude: .38,28700 (in decimal degrees)			
1 5	1 South, 5 3/4 East of Ash Valley				Longitude: 099.10494 (in decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Jed Fleske					Collection Method:			
RR#, Street Address, Box #: 1031 W 4th				☑ GPS unit (Make/Model:				
City, State, ZIP Code : Larned, I			KS 67550		Digital Map/Ph	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL Est.						3 m, ☐ 3-5 m, ☐ :	5-15 m, $\square > 15$ m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 140 ft.								
	SECTION BOX: Depth(s) Groundwater Encountered (1) ft (2) ft (2)							
	well S STATIC WATER LEVEL							
	WELL WATER TO BE USED AS: Public water supply Geothermal Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
XN								
W								
S								
L								
	Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted							
ļ	mile Water well disinfected?							
5 TYPE OF CASING USED: Steel PVC Other								
CASIN	JG JOIN	TS: M Glued	Policial Ded	Otner	• • • • • • • • • • • • • • • • • • • •	••••	•	
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5								
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
rrom trito trium a								
ORAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
order intervals. From the to the first of th								
what is the nearest source of possible contamination:								
Samuel United Storage Vi Other (Specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well House								
	ction from	Northweet			rom well70ft		***************************************	
FROM	TO	LITHOLOGIC	CLOG	FROM	TO LITHO. LO	G (cont.) or PLUG	GING INTERVALS	
0 2 19	2	Top soil						
2	19	Brown clay						
	65	Gray & yellow shale						
65	91	Fire clay						
91 97	97	Yellow clay & sandstone						
103	103	Fire clay						
122	122 130	Sandstone- some streaks	s dark, hard					
130	136	Gray shale Sanstone						
136	140	Fire clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .12-30-15 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .1-20-16								
under the business name of								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
. гелерцо	ne 10J-290	-5524. Send one copy to WATER	WELL OWNER and retai	n one for your re	cords. Include fee of \$5.0	00 for each constructed	well. Visit us at	