WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeko, Konsas 66620

	County	Fraction		Section number		Township number	Range number		
1. Location of well:	Pawnee	1/4 SE 1/4 SW	1/4	10	0	т 20 s	_R 17	₽	
	ction from nearest town or city:	ne Hagerman							
					street: 629 West Fifth - Apt. 1				
City, state, zip code:						rned, KS 67550 6. Bore hole dia. 9 in.	<u> </u>	0-14-76	
4. Locate with "X" in section below: Sketch map:						Well depth 172 ft.	Completion date _		
Ŧ [7 Cable tool X Rotary	Driven Dug		
						Hollow rod Jetted Bored Reverse rotary			
						8. Use: _X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other 9. Casing: Material Styretheight: Above or below			
						Threaded Welded X Surface 12 in.			
S						RMPPVC_XWeight_1.5_lbs./ft.			
!→1 Mile>-1					-	Dia. <u>5</u> in. to <u>90</u> ft. dep Dia. <u>5</u> in. to <u>132</u> ft. dept			
5. Type and color of material				From	То	10. Screen: Manufacturer's name Jess &			
					2	- 000	Lowell		
Top soil				1 0	2	Slot gauze 1/8	_ Dia. <u>5"</u>		
Brown & white clay				2	23	Set between 90	ft. and122	ft.	
Burner of an Complements				23	39	T32 ft. and T72 ft. Gravel pack? Yes Size range of material 3/8-200			
Brown clay & conglomerate				23	39	11. Static water level:		./day/yr.	
Dakota xy clay				39	45	ft. below land sur			
Sandstone & Dakota clay				45	65	12. Pumping level below land	surfaces: N/	'C	
Sandstone & Dakota Clay				1		ft. after hrs. pumping g.p.m.			
Dakota clay				65	92	Estimated maximum yield g.p.m.			
Sandstone & Dakota clay				92	120	13. Water sample submitted:	mo	./day/yr.	
				1.00	100	Yes y No	Date		
Dakota clay				120	136	14. Well head completion: Pitless adapter	12 Inches above	grade	
Sandstone				136	140	15. Well grouted? Yes		1.	
Dahata alaw				1/40	146	With: X Neat cement Bentonite Concrete			
Dakota clay				140	140	Depth: FromO ft. to		—— I (
Sandstone & Dakota clay				146	171	NONE KNOWN 16. Nearest source of possible contamination: ft Direction Type			
Dakota clay				171	172	Well disinfected upon comple	tion? <u>x</u> Yes	<u>N∘</u> _	
						17. Pump:	X Not installed		
				-		Manufacturer's name Model number	HP Vo	<u> " </u>	
						Length of drop pipe			
						Type: Submersible	Turbin		
						Jet		ocating	
(Use a second sheet if needed)				<u> </u>		Centrifugal	Other		
18. Elevation:	19. Remarks:					20. Water well contractor's o		b	
						This well was drilled under my is true to the best of my know		. Tepori	
Topography:						Clarke Well & E	q., Inc.	185	
Hill Slope						Business name Address Great		ense No.	
Upland						Signed O-W.Ch	Dota	11 <u>-4-</u> 76 .	
Valley			-			Authorized rep	resentative		
Forward the white, blu	ve and pink copies to the Department	of Health and Environment					Form WV	vc- s &	