WATEI	S WEL	L RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOC	ATION	OF WATER WELL:	Fraction	Section Number Township No. Range Number
Coun	ty: Paw	nee	1/4 SW 1/4 NW 1/4 NW 1/4	14 T 20 S R 17 DE 🗹 W
Street	/Rural A	ddress of Well Location: i	f unknown, distance & direction	Global Positioning System (GPS) information:
from	nearest to	own or intersection: If at o	owner's address, check here .	Latitude: (in decimal degrees)
		3/4 East of Ash Valley		Longitude: (in decimal degrees)
1/21	NOTHII, I	3/4 East Of Asir Valley		Elevation:
	·			<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
		ELLOWNER: Joel Kel	ty	Collection Method:
		Address, Box #: 1571 X	Road	GPS unit (Make/Model:)
City,	State, Z	IP Code : Larned.	Ks. 67550	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
				Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 152 ft.				
	I AN "X'	'IN 4 DEPTH OF C	COMPLETED WELL	II.
	TON BO	X: Depth(s) Ground	water Encountered (1)	ft. (2) ft. (3) ft ft below land surface measured on mo/day/yr. 3-6-12
	. N	WELL'S STATI	C WATER LEVELtt	below land surface measured on mo/day/yr. 9797.14
		Pump	test data: Well water was	ft. after hours pumping gpm
× NW	/ NI	E EST. YIELD. N	Agpm. Well water was	ft. after hours pumping gpm
w				ft., andtott.
 -			TO BE USED AS: Public wa	ter supply Geothermal Injection well
211	<i>I</i>	□ Domestic	☐ Feedlot ☐ Oil field wat	er supply Dewatering Other (Specify below)
SW SE Domestic Feeding On field water supply Domestic Stock St				
		Was a chemical/	bacteriological sample submitted t	Department? Yes V No
	S	If yes, mo/	day/yr sample was submitted	
	1 mile	Water well disin	fected? Yes □ No	
	07.04			
5 TYPE	OF CA	SING USED: Steel		
CASING JOINTS: Glued Clamped Welded Threaded				
Casing diameter .5				
Casing height above land surface. 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)				
	Brass		None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 152 ft. to 112 ft., From ft. to ft.				
From				
From				
GRAVEL PACK INTERVALS: From				
From. ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other				
Grout Intervals: From				
What is the nearest source of possible contamination:				
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)				
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Sewer lines Cesspool Sewage lagoon Fuel storage Oil well/gas well Shed				
[watertight sewer lines [Seepage pit [Feedyard				
				from well .40.
FROM	TO	LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	3	Top soil		
3	86	Tan clay		
86	106	Fire clay		
106	112	Gray shale		
112	149	Shale & sandstone		
149	152	Gray shale		
149	102	Oray Strate		
	<u> </u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .3-6-12				
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 3-14-14				
hy (signature)				
INSTRUCTIONS: Use typewriter or hall point pen. PLEASE PRESS FIRMLY and PRINT clearly Please fill in blanks and check the correct answers. Send three copies				
1 (white blue pink) to Kansas Depar tment of Health and Environment Rureau of Water Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas ooo 12-1307.				
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. VI sit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy				