WATE	R WEI	L RECORD	Form W	WC-5	Division of Water Resources App. No.
1 LOC	ATION	OF WATER WELL:	Fraction		Section Number Township No. Range Number
	ty: Paw		1/4 SE 1/4 NE		
		ddress of Well Location;			Global Positioning System (GPS) information:
		own or intersection: If at	owner's address, check	here .	Latitude: (in decimal degrees)
3 3/4	4 East o	f Ash Valley			Longitude: (in decimal degrees)
					Elevation:
		ELL OWNER: Jon Roy	/ Kelty		Collection Method:
			0th Avenue		GPS unit (Make/Model:)
City,	State, Z	IP Code : Larned,	KS 67550		Digital Map/Photo, Topographic Map, Land Survey
2 100	A TIPET NIME	· · · · · · · · · · · · · · · · · · ·			Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 268 ft.					
	SECTION BOX: Depth(s) Groundwater Encountered (1)				
Pump test data: Well water wasft. after hours pumping g					
EST. YIELD. N/Agpm. Well water wasft. after					ft. after hours pumping gpm
W E Bore Hole Diameter 10					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
SW SE   Domestic					
Was a chemical/bacteriological sample submitted to Department? Yes V No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? Ves No					
5 TYPE OF CASING USED: Steel V PVC Other					
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded					
Casing diameter 5 in. to 268 ft. Diameter in. to ft. Diameter ft. Diameter in. to					
Casing height above land surface18					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)					
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 268 ft. to 20 ft., From ft. to ft.					
From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.  Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well  Direction from well South ☐ Distance from well .55ft.					
FROM	TO	LITHOLOG	FIC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	2	Top soil		LICOM	ETTIO, DOG (COIL.) OF LOUGHNO INTERVALS
2	63	Tan clay	***************************************		
63	85	Fire clay			
85	89	Tan clay & sandstone	THE PROPERTY OF THE PROPERTY O		
89	114	Fire clay			
114	138	Gray shale			
138	195	Fire clay			
195	226	Gray shale			
226	268	Sandstone			,
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or plugged					
under my jurisdiction and was completed on (mo/day/year). 6-17-14 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .7-7-14					
under the business name of Rosencrantz-Bemis Ent Inc. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy					
Check: PCI white Copy,   Blue Copy,   Pink Copy					