


1 LOCATION OF WATER WELL: County: <u>Mpherson</u> Fraction <u>NW 1/4 SW 1/4 ME 1/4</u> Section Number <u>33</u> Township Number <u>T 20 S</u> Range Number <u>R 2 E/W</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>7 1/2 S 1 1/2 W Galva</u>	
2 WATER WELL OWNER: <u>Ernest Goering</u> RR#, St. Address, Box #: <u>RR4</u> City, State, ZIP Code: <u>Galva, KS. 67443</u> Board of Agriculture, Division of Water Resources Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;">  </div>	4 DEPTH OF COMPLETED WELL: <u>71</u> ft. ELEVATION: <u>3-2-92</u> ft. Depth(s) Groundwater Encountered <u>38 53</u> ft. 2. <u>3-2-92</u> ft. 3. <u>3-2-92</u> ft. WELL'S STATIC WATER LEVEL <u>38 53</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>30 9</u> ft. after <u>71</u> hours pumping <u>30 9</u> gpm Est. Yield <u>30 9</u> gpm Well water was <u>71</u> ft. after <u>71</u> hours pumping <u>30 9</u> gpm Bore Hole Diameter <u>71</u> in. to <u>71</u> ft., and <u>71</u> in. to <u>71</u> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No <u>X</u>
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped <u>X</u> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>X</u> Blank casing diameter <u>57</u> in. to <u>57</u> ft., Dia. <u>57</u> in. to <u>57</u> ft., Dia. <u>57</u> in. to <u>57</u> ft. Casing height above land surface <u>12</u> in., weight <u>Class 160</u> lbs./ft. Wall thickness or gauge No. <u>219</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes SCREEN-PERFORATED INTERVALS: From <u>57</u> ft. to <u>71</u> ft. From <u>57</u> ft. to <u>71</u> ft. GRAVEL PACK INTERVALS: From <u>24</u> ft. to <u>71</u> ft. From <u>24</u> ft. to <u>71</u> ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout intervals: From <u>3</u> ft. to <u>24</u> ft. From <u>24</u> ft. to <u>71</u> ft. From <u>71</u> ft. to <u>71</u> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? <u>S</u> How many feet? <u>70</u>	
FROM TO LITHOLOGIC LOG	FROM TO PLUGGING INTERVALS
0 27 Clay	
27 29 Sand	
29 52 Clay	
52 69 medium sand	
69 71 Red Shale	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) <u>reconstructed</u> , or (3) <u>plugged</u> under my jurisdiction and was completed on (mo/day/year) <u>3-3-92</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>720</u> This Water Well Record was completed on (mo/day/yr) <u>3-3-92</u> under the business name of <u>Backhus Drilling</u> by (signature) <u>Paul H. Backhus</u>	