****	D 11/D1	I DECORD	<b>T T T T T T T T T T</b>			Wel	<b>#</b> み	47.597	
WATER WELL RECORD			Form WWC-5			Division of Water Resources App. N			
1 LOCATION OF WATER WELL:			Fraction			ion Number	Township No.	_	
County: McPherson Street/Rural Address of Well Location; in			fundament	r% SW 7	4 Clab	34		R 2 □E ₩	
	from nearest town or intersection: If at owner's address, check here .						g System (GPS) in	formation: (in decimal degrees)	
				· —				(in decimal degrees) (in decimal degrees)	
5 miles North & 1 mile West of 1			r mounariage				• • • • • • • • • • • • • • • • • • • •		
					Datu	Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Weldon Koehn RR#, Street Address, Box #: 2486 Dakota Rd. City, State, ZIP Code : Capton KS 67428					Colle	Collection Method:			
						GPS unit (Make/Model:)			
City	, State, Z	CIP Code : Canto	n, KS 67428			Digital Map/Photo, Topographic Map, Land Survey			
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL									
SECTION BOX: Depth(s) Groundwater Encountered (1)									
	N WELL'S STATIC WATER LEVEL1.4ft. below land surface measured on mo/day/yr5/11./11								
	Pump test data: Well water was								
<sub></sub> NV									
1 1									
SV									
Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
	Was a chemical/bacteriological sample submitted to Department? Yes X No								
S If yes, mo/day/yr sample was submitted									
water wen districted: 1 10									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: 👿 Glued 🗌 Clamped 🗎 Welded 🗎 Threaded									
Casing diameter10 in. to38 ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface12									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel     ☐ Stainless Steel     ☐ Other (Specify)       ☐ Brass     ☐ Galvanized Steel     ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From38 ft. to58 ft., From ft. to ft.									
								o ft.	
	GRAV.	EL PACK INTERVALS:							
From ft. to ft., From ft. to ft. ft. of the ft. to ft.									
		From0 ft. to	nt (1x) Cement group	The same	ft to	_] Otner	E	Α 4	
Grout In		est source of possible conta				Il.,	From	. 11. 10	
	Septic ta			Livestock		☐ Insecticide	storage	er (specify below)	
		<b>—</b>	Sewage lagoon						
	Watertig	ht sewer lines 🔲 Seepage p	it 🗌 Feedyard	☐ Fertilizer	storage	Oil well/ga		•••••	
		n well							
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0	4	Topsoil							
4	8	Clay, gray				ļ			
8	16	Clay, white							
16	30	Sand, fine to coa							
30	34	Clay, green & bro	wn			ļ			
34	43	Sand, fine/tan				ļ			
43	47	Clay, gray/hard							
47	56	Sand, fine to med							
56	58	Shale, red & gree	<b>n</b>						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was k constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year)5/10/11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No1.38 This Water Well Record was completed on (mb/day/year) 5/12/11									
under the business name of Peterson Trrigation The by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
		o Kansas Department of Health							
Telephone	785-296-	5522. Send one copy to WAT							
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212									
No∧ o∠a-	-1414								