

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: <u>Moprherson</u>		<u>Sw 1/4 Sw 1/4 Se 1/4</u>		<u>7</u>		T <u>20</u> S		R <u>2</u> E <u>W</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>4 S 2 1/2 W Galva</u>									
2 WATER WELL OWNER: <u>Kerry Batzlaff</u>									
RR#, St. Address, Box #: <u>Box 776</u>									
City, State, ZIP Code: <u>Meunridge, KS. 67107</u>									
Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>20</u> ft. ELEVATION: <u>69</u> ft.							
		Depth(s) Groundwater Encountered <u>1</u> ft. 2. <u>69</u> ft. 3. <u>95</u> ft.							
		WELL'S STATIC WATER LEVEL <u>30</u> ft. below land surface measured on mo/day/yr <u>4-7-95</u>							
		Pump test data: Well water was <u>10</u> gpm. Well water was <u>9</u> ft. after <u>20</u> hours pumping <u>4-7-95</u> gpm							
		Est. Yield <u>10</u> gpm. Well water was <u>9</u> ft. after <u>20</u> hours pumping <u>4-7-95</u> gpm							
		Bore Hole Diameter <u>9</u> in. to <u>20</u> ft. and <u>20</u> in. to <u>20</u> ft.							
		WELL WATER TO BE USED AS:							
		1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes <u>X</u> No <u>X</u>							
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped <u>X</u> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>X</u> Blank casing diameter <u>5</u> in. to <u>85</u> ft. Dia. <u>SDR 26</u> in. to <u>214</u> ft. Dia. <u>214</u> in. to <u>214</u> ft.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) <u>214</u> SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 11 None (open hole)									
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u>214</u>									
SCREEN-PERFORATED INTERVALS: From <u>65</u> ft. to <u>20</u> ft. From <u>22</u> ft. to <u>80</u> ft.									
GRAVEL PACK INTERVALS: From <u>22</u> ft. to <u>80</u> ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From <u>0</u> ft. to <u>22</u> ft. From <u>22</u> ft. to <u>80</u> ft. From <u>80</u> ft. to <u>100</u> ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
Direction from well? <u>Will be 75-100'</u>									
LITHOLOGIC LOG									
FROM	TO							FROM	TO
<u>0</u>	<u>35</u>	<u>Clay</u>							
<u>35</u>	<u>37</u>	<u>fine Sand</u>							
<u>37</u>	<u>69</u>	<u>tight Clay</u>							
<u>69</u>	<u>72</u>	<u>Sand</u>							
<u>72</u>	<u>80</u>	<u>Gray Clay</u>							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) <u>reconstructed</u> , or (3) <u>plugged</u> under my jurisdiction and was completed on (mo/day/year) <u>4-7-95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>120</u> This Water Well Record was completed on (mo/day/yr) <u>4-10-95</u> under the business name of <u>Backhus Drilling</u> by (signature) <u>Paul H. Backhus</u>									