T			WELL RECORD F	orm WWC-5				
_	OF WATER WELL:	Fraction			tion Numbe	_ I		Range Number
County: PAW Distance and	direction from nearest	town or city street add	dress of well if located		33	T 20		R 20 E/W
olotanoo ana	anodion nom nourost	town or only officer add	areas or wear at located	within only:	2 mil	• NORTH of 1	BURDETT,	, AS .
WATER W	/ELL OWNER: ST	EVE MILLER						
•						Board of	Agriculture	Division of Water Resource
City, State, ZI	77.07	l. 2 BOX 37 JRDETT_KS. 675	12.3				n Number:	Division of Water Hessard
				•0	4 FI FV			77
AN "X" IN	SECTION BOX:							
	N							
i 1								MOV. 10, 1982
l •	NW NE							mping 15 gpm
' I '								mping gpm
<u> </u>		Bore Hole Diamete	er 8 in. to .	89	ft.,	and	in	. to
ž " 🗀	1	WELL WATER TO	BE USED AS: 5	Public wate	r supply	8 Air conditioning	g 11	Injection well
	., .,	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12	Other (Specify below)
:	SW SE	2 Irrigation	4 Industrial 7	Lawn and g	arden only			
		Was a chemical/ba	acteriological sample su	ubmitted to De	epartment?	YesNo	IX; If yes	mo/day/yr sample was sub
	S	mitted				ater Well Disinfecte	=	
TYPE OF E	BLANK CASING USED	-	5 Wrought iron	8 Concre				d . XX . Clamped
1 Steel	3 RMP		6 Asbestos-Cement		specify belo			ed
2 PVC	4 ABS	` '	7 Fiberglass			,		aded
			•					in. to ft.
			n., weight					o. 200 . p.1us
	REEN OR PERFORAT			7 PV			bestos-ceme	
1 Steel	3 Stainle		5 Fiberglass		P (SR)			
2 Brass			6 Concrete tile	9 AB	3	12 No	ne used (op	en hole)
SCREEN OR	PERFORATION OPEN	IINGS ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hole)
1 Contin	iuous slot 3_	Mill slot	6 Wire w	rapped		9 Drilled holes		
2 Louver	red shutter 4	Key punched	7 Torch	out		10 Other (specif	v)	
CDEEN DED								
JOHEEN-PEH	RFORATED INTERVAL	S: From	9 ft. to		ft., Fro			o
JOREEN-PER	RFORATED INTERVAL			89		om	ft. t	o
	RFORATED INTERVALS	From	ft. to	8.9 , , , , , , , , , , , , , , , , , , ,	ft., Fro	om	ft. t	o
		From	ft. to	8.9 , , , , , , , , , , , , , , , , , , ,	ft., Fro	m	ft. t	o
GRA	VEL PACK INTERVAL	FromS: From	ft. to	.89	ft., Fro ft., Fro ft., Fro	om	ft. t ft. t ft. t	0
GRA	VEL PACK INTERVAL	From	ft. to 15. ft. to ft. to Cernent grout	.893 Bento	ft., Fro ft., Fro ft., Fro nite 4	om om om om om om	ft. t	0
GRA GROUT MA	ATERIAL: 1 Nea	From	ft. to 15. ft. to ft. to Cernent grout	.893 Bento	ft., Fro ft., Fro ft., Fro nite 4	om	ft. t	o
GRA GROUT MA Grout Intervals What is the ne	ATERIAL: 1 Neas: From	From. S: From. From at cement 2t. to15	ft. to 15 ft. to ft. to ft. to Cement grout ft., From	3 Bento	ft., Front,	omomomomomomomomomomomomother	ft. t. ft. t. ft. t. ft. t.	b
GRA GROUT MA Grout Intervals What is the ne 1 Septic	ATERIAL: 1 Neas: From	From. S: From. From at cement 2 ft. to 15 tle contamination: teral lines	ft. to 15. ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3 Bentoi	ft., Frontie 4 10 Live	om	ft. t. ft. f	b
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer	ATERIAL: 1 Neas: From	From. S: From. From at cement 2 ft. to 15. le contamination: teral lines ss pool	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor	3 Bentoi	ft., Fronts, F	om om om Other ft, From stock pens storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert	ATERIAL: 1 Nearest source of possibitank 4 Latilines 5 Certight sewer lines 6 Se	From. S: From. From at cement 2 ft. to 15. le contamination: teral lines ss pool	ft. to 15. ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3 Bentoi	ft., Frontite 10 Live 11 Fuel 12 Fert 13 Inse	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from	ATERIAL: 1 Neas: From	From. S: From. From at cement 2 ft. to 15 ele contamination: teral lines ss pool epage pit	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other ft, From stock pens storage	ft. t. ft. f	b
GRAUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from	ATERIAL: 1 Nea s: From. 5 earest source of possib tank 4 Lat lines 5 Ce tight sewer lines 6 Se well?	From. S: From. From at cement 2 ft. to 15. le contamination: teral lines ss pool epage pit LITHOLOGIC LC	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bentoi	ft., Frontite 10 Live 11 Fuel 12 Fert 13 Inse	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRAUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from	ATERIAL: 1 Neas: From	From. S: From. From at cement 2 ft. to 15 ele contamination: teral lines ss pool epage pit LITHOLOGIC LO	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRAUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5	ATERIAL: 1 Neas: From 3 earest source of possible tank 4 Latelines 5 Cestight sewer lines 6 Sewell? TO black to	From. S: From. From at cement 2 ft. to 15 ele contamination: teral lines ss pool epage pit LITHOLOGIC LO	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRAUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRAUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 10 20	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRAUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 10 20 5	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRAUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 7 10 20 5 5 1 7	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 7 10 20 20 5 51 7	ATERIAL: 1 Neas: From	From. S: From. From at cement 2 ft. to 15 le contamination: teral lines ss pool epage pit LITHOLOGIC LO	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 10 20 20 5 51 7	ATERIAL: 1 Neas: From. 5 earest source of possible tank 4 Latellines 5 Celight sewer lines 6 Sewell? TO black to brown class and to brown class	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRAUT MA irout Intervals /hat is the ne 1 Septic 2 Sewer 3 Watert /irection from FROM 0 5 5 10 20 50 5 17 76 8 80 8	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA frout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 7 10 20 5 5 17 76 8	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA frout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 10 20 5 51 7 76 8 80 8	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 10 20 50 5 17 76 8 80 8	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 10 20 5 51 7 76 8 80 8	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 10 20 50 5 17 76 8 80 8	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 110 20 20 5 51 7 76 8 80 8	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Benton ft. 1	ft., From tt., F	om om om Other oth, From stock pens I storage ilizer storage cticide storage	ft. t. ft. f	b
GRA GROUT MA Grout Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 110 20 20 5 51 7 76 8 80 8 87 9	ATERIAL: 1 Neas: From	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard DG	3 Benton ft. ft.	ft., From tt., F	om	14 AA 15 O 16 O	the control of the co
GRAUT MAGROUT MAGROUT Intervals What is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 76 8 1 10 20 20 5 51 7 76 8 80 8	ATERIAL: 1 Nease: From. 5 earest source of possible tank 4 Latelines 5 Centight sewer lines 6 Sewell? WEST TO black to 8 tan clay 0 tan clay 1 brown clay 7 course 0 clay the	From	ft. to 15. ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard OG	3 Benton ft. ft.	ft., From tt., F	om Om Om Om Other Interpretation of the stock pens Interpretation of the storage of the st	ft. to ft	o
GRA GROUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 7 8 1 10 20 5 51 7 6 8 80 8 87 9	ATERIAL: 1 Neas: From. 5 earest source of possible tank 4 Latelines 5 Centight sewer lines 6 Sentight sewer li	From	ft. to 15. ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard DG N: This water well was 82.	3 Benton ft.	ft., From tt., F	om	ft. to ft	er my jurisdiction and was owledge and belief. Kansas
GRA GROUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 7 8 1 10 20 5 51 7 6 8 80 8 87 9	ATERIAL: 1 Nease: From. 5 earest source of possible tank 4 Latelines 5 Centight sewer lines 6 Sewell? WEST TO black to 8 tan clay 0 tan clay 1 brown clay 7 course 0 clay the	From	ft. to 15. ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard DG N: This water well was 82.	3 Benton ft.	ft., From tt., F	om	ft. to ft	er my jurisdiction and was owledge and belief. Kansas
GRA GROUT MA Grout Intervals Vhat is the ne 1 Septic 2 Sewer 3 Watert Direction from FROM 0 5 5 7 8 1 10 20 5 51 7 76 8 80 8 87 9 CONTRACT completed on (Vater Well Conder the busin	ATERIAL: 1 Neas: From 5	From. S: From. From at cement 2 ft. to 15 le contamination: teral lines ss pool epage pit LITHOLOGIC LO psoil And black shale ER'S CERTIFICATION VEMBER 12, 19 243	ft. to 15	3 Benton ft.	ft., From the ft	om	to the fit. to	o