			WT WW.740	* 160 F	D. C. CIV.		27593	
WATER WELL RECORD			Form WV	<u>VC-5</u>	Section Number	er Resources App. No.	Range Number	
	1 LOCATION OF WATER WELL:		Fraction	1/ CE 1/	Section Number 28	T 20 S	R 20 DE WW	
Coun				¹ / ₄ SE ¹ / ₄				
Stree	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:		
					Longitude:			
1/2 \	1/2 West, 5 1/2 North of Burdett							
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Steve Miller					Collection Method:			
RR#, Street Address, Box #: 3535 U Road				☐ GPS unit (Make/Model:				
City, State, ZIP Code : Burdett, Ks. 67523					Est. Accuracy:			
2 LOCATE WELL								
-	WITTH AN "V" IN A DEPTH OF COMPLETED WELL 18							
	Depth(s) Groundwater Encountered (1)							
- NV								
w	or 1 F Bore Hole Diameter 99						ll. Injection well	
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well Oil field water supply ☐ Dewatering ☐ Other (Specify below) Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
SV								
Was a chemical/bacteriological sample submitted to Department? Yes No								
was a chemical/oacteriological sample submitted to Department.								
	S If yes, mo/day/yr sample was submitted							
water were arrivated. In 1995								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 16 in. to 78 ft., Diameter								
Casing height above land surface								
Type of Screen or Perforation Material. Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)								
From ft. to ft., From tt. to tt.								
GRAVEL PACK INTERVALS: From 78 ft. to ft., From ft. to ft.								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None Direction from well Distance from well								
FROM	TO	LITHOLOG		FROM	TO LITHO.	LOG (cont.) or PL	UGGING INTERVALS	
0	15	Clay						
15	16	Sandstone						
16	42	Clay	, the second sec					
42	54	Sandy clay						
54	78	Sand & gravel						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\bigz \) constructed, \(\pi \) reconstructed, or \(\pi \) plugged								
under my jurisdiction and was completed on (mo/day/year) .4-13-11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .5-12-11								
Kansas	Water W	ell Contractor's License less name ofRosencran	NO This \ tz= Remis	water Well b	by (cianature)	cu on (mo/day/yea	١١) ١٧.١١٦٠٠٠٠٠٠	
INCTOIL	CTIONS	Hee typewriter or hall point ne	n PLEASE PRESS FIRML	∠and <i>PRINT</i> cl	early. Please fill in bla	nks and check the com	ect answers. Send three copies	
(white h	lue nink) 1	to Kansas Denartment of Healt	and Environment Bureau	of Water, Geol	ogy Section, 1000 SW	Jackson St., Suite 420	J, Topeka, Kansas 00012-1307.	
Telephon	e 785-296-	-5522. Send one copy to WA	TER WELL OWNER and	retain one for	your records. Include	fee of \$5.00 for each	constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								
KSA 828	1-1212				CHECK.	T	ziae copy, <u>iii</u> riiik copy	