		RECORD		WWC-5		Di	vision of V	Vater				
		Correction	Chang	ge in Well Use	3		ources Ap		Injunction of the second secon	Well ID		
1 LOCA	TION OF V	VATER WE	LL:	Fraction			ction Nur	nber	Township Numb		ige Number	
2 WELL OWNER: Last Name: Stoeckline First: Kevin Street or Rural Address where well is located (if unknown, distance and												
Business: Address: 519 Franklin										check here:		
Address: Hwy 283 & Co. Rd. 50, 7 Miles East in NE Corner												
City: Ness City State: Kansazip: 67560										*****************		
(	3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:							titudo:	38.3359	30	(danimal dannas)	
WITH "		Depth(s) G	roundwater	Encountered:	1) 20	00 ft.	O ft. Longitude: 99.76888 (decimal degrees)					
	ON BOX: N	2) 4	400 ft.	3) <b>. 20V</b> fi	t., or 4)	Dry Well	Da	itum: 🗸	WGS 84 □ NAI	D 83 🗆 1	NAD 27	
proprietations particularies	regulaciónssistempletemotetraturg	WELL'S S	WELL'S STATIC WATER LEVEL: 98.				ft. Source for Latitude/Longitude:					
]   1		☑ below	below land surface, measured on (mo-day-yr									
NW	NE		above land surface, measured on (mo-day-yr Pump test data: Well water was				family and the family				10)	
<sub>w</sub>	E		afterhours pumpinggp				Land Survey Topographic Map  Online Mapper:					
	1 ' 1		Well water was ft.				Onnite wapper.				******************	
SW	SE	after hours pumping gr					2225					
	J	Estimated Yield:40gpm					6 Elevation: 2225 ft. ☑ Ground Level ☐ TO					
1	S marila	Bore Hole	Bore Hole Diameter: 9 in to 425				ft. and Source: Land Survey GPS Topographic					
mile												
1. Domestic				ater Sunnby v	vell ID		10 [	l Oil Eig	dd Water Summly d	age		
	Domestic: 5. ☐ Public Water Supply: well ID ☐ Household 6. ☐ Dewatering: how many wells?					****************						
1	Lawn & Garden 7. Aquifer Recharge: well ID											
☑ Livest	☑ Livestock 8. ☐ Monitoring: well ID							eotherm	al: how many bores	s?	****	
	2. 🗌 Irrigation 9. Environmental Remediation: well ID								Loop Horizon			
	3. Feedlot Soil Vapor E								Loop  Surface Di			
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? Yes V No If yes, date sample was submitted:												
Water well disinfected?   Yes  No  CASING SACRICATION												
8 I YPE OF CASING USED: Steel WPVC Steel WPVC CASING JOINTS: Glued Clamped Welded Threaded												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to 425 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 12 in Weight lbs/ft. Wall thickness or gauge No. SDR 17												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☑ PVC ☐ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
CCDEEN I	ered Shutter	∐ Key Pund	ched ∐ W	/ire Wrapped	240 Sa	w Cut ∐	None (Ope	n Hole)	in a = 30	80 0.	420 s	
Louvered Shutter  Key Punched  Wire Wrapped  Saw Cut  None (Open Hole)  SCREEN-PERFORATED INTERVALS: From 200 ft. to 240 ft., From 280 ft. to 340 ft., From 360 ft. to 420 ft.												
GRAVEL PACK INTERVALS: From 25 ft to 425 ft, From ft to ft., From ft to ft.												
9 GROUT MATERIAL:   Neat cement   Cement grout   Bentonite   Other     Grout Intervals: From   5   ft. to   25   ft., From   ft. to   ft., From   ft. to   ft.												
Nearest source of possible contamination:												
☐ Septic		-	Lateral Line		it Privy		Livestock			cide Storage		
Sewer			Cess Pool		ewage La	goon [	Fuel Stor	age		oned Water		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Other (Specify)												
Direction from well?												
10 FROM	TO		LITHOLO	GIC LOG		FROM	ТО	LIT	HO, LOG (cont.) or	PLUGGIN	G INTERVALS	
0	10	Top Soil Tan			***************************************	360	420		y Sandstone w/			
10	35	Light Tan C	lay and C	olichie		420	500	Blu	e Clay	eason potry roseny a Coperation rose recommende		
35	140	Blue Shale							and the second s		***************************************	
140	160	Blue Clay	lue Clay									
160	200	Grey Clay										
200	260		Grey Clay w/ Grey Sandstone Streaks									
260	280	Blue Clay										
280 340 Grey Sandstone w/ Grey Clay Streaks												
340 360 Grey/Red Clay w/ Sandstone Streaks												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \sqrt{2}\) constructed, \( \sqrt{1}\) reconstructed, or \( \sqrt{1}\) plugged under my jurisdiction and was completed on (mo-day-year) \( \frac{97/14/2014}{2014} \)												
Kansas Wa	นบรณเหติก เ iter Well Co	aiu was comp intractor's Lie	neted on (f cense No	no-day-year) 846	Thie W/	v. tor Well Pe	cord was	comple	ue to the best of materials	y knowled ear) 07/2/	ge and belief. 1/2014	
under the b	ousiness nan	ne of Nash !	(Vater We	II Service, L	LC				******			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.												
					Section, 10	00 SW Jackson	St., Suite 4	120, Top	eka, Kansas 66612-136			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html  KSA 82a-1212												