CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: McPherson Location changed to:
Section-Township-Range: None Given	5-205-3 W
Fraction (1/4 1/4 1/4):	NW SE SE
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: <u>Latitude</u> and longit KGS website, and mapping	rude, conversion tool on tool on tool on tool on tool on tool on initials: ERf date: 6/6/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	CORD SUE 6AS E WING 5	
1 LOCATION OF THE	CORD SVEDAS Form WWC-5 TER WELL: Fraction	Division of Water Resources; App. No. Section Number Township Number Range Number
1 LOCATION OF WA	VISTO 4 1/4 1/4	1 1
Distance and direction	from nearest town or city street address of well if	Global Positioning Systems (decimal degrees, min. of 4 digits)
located within city? A	from nearest town or city street address of well if John of Frontier Boad on 14th	Latitude: $38.3368^{\circ}N$
Avenue Mº	Pherson Flansas	Longitude: $97^{\circ}40.167 = 97.6695^{\circ}$ W
	VNER: El Pasó Merchaut Energy Conpany	Elevation:
RR#, St. Address, Bo	X# Environ mental Remediation Department	Datum:
City, State, ZIP Code	("Morado Sarinas, "CO 70903 - 2	Data Collection Method:
3 LOCATE WELL'S	4 DEPTH OF COMPLETED WELL	/ ft.
LOCATION WITH AN "X" IN	Doubles Groundwister Engagetered (1)	ft. (2) ft. (3) ft.
SECTION BOX:	WELL'S STATIC WATER I EVEL	ft. below land surface measured on mo/day/yr
N N		ft. after hours pumping gpm
		ft. after hours pumping gpm
NW NE		er supply 8 Air conditioning 11 Injection well
W E		supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Domestic (law	n & garden) Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs		
1.	Sample was submitted W	ater well disinfected? Ves No.
S	Sample was submitted	ater wen disinfected. Tes
5 TYPE OF CASING I	USED: 5 Wrought Iron 8 Concrete to	le CASING JOINTS: Glued Clamped
		ify below) Welded
(2)PVC 4 AB	S 7 Fiberglass	Threaded
Blank casing diameter	4 in. to	in. to ft., Diameter in. to ft.
Casing height above land	surface in., Weight	lbs./ft. Wall thickness or guage No. 5th.40
	PERFORATION MATERIAL:	
	tinless Steel 5 Fiberglass OPVC	9 ABS 11 Other (Specify)
	lvanized Steal 6 Concrete tile 8 RM (SR)	0 Asbestos-Cement 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: (DContinuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)		
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)		
SCREEN-PERFORATED INTERVALS: From 30 ft. to 30 ft., From ft. to ft.		
From		
From ft. to ft., From ft. to ft.		
6 GROUT MATERIA	L: (1) Neat cement 2 Cement grout (3) Bentonit	e 4 Other
6 GROUT MATERIAL: (1) Neat cement 2 Cement grout 3 Bentonite 4 Other		
What is the nearest source of possible contamination:		
1 Septic tank		estock pens 13 Insecticide Storage 16 Other (specify
2 Sewer lines		l storage 14 Abandoned water well below)
3 Watertight sewer		tilizer Storage 15 Oil well/gas well
		nany feet?
FROM TO		OM TO PLUGGING INTERVALS
0 30 400	land Brown Sitty Clay	
10101	1 Sand Layers	
7 CONTED A CHORSE O	DIANDOW/NEDIG GERGIES CARTON CT	to mell man (1) constructed (2)
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) OHIII 2006 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No551 This Water Well Record was completed on (mo/day/year) O		
under the business name offscallated Environmental Industries. Corp. by (signature) (Dalle & James		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top		
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at		
785-296-5522. Send one		



PO Box 5300 Norman, Oklahoma 73070 Phone: (405) 360-1434 FAX: (405) 360-1480

The purpose of the multi-level wells at McPherson was to monitor the vapors in the unsaturated zone at various depth intervals during a Soil Vapor Extraction Pilot Test to be conducted by our client, MWH Americas.