(to rectify lacking or incorrec	t information)
Location listed as:	County: McPherson Location changed to:
Section-Township-Range: None Given	5-205-3 W
Fraction (1/4 1/4 1/4):	NE SE SE
Other changes: Initial statements:	,
Changed to:	
Comments:	

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

Latitude and longitude, conversion tool on site, and mapping tool on KGS website. initials: DR date: <u>6/6/2006</u>

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

Division of Water Resources; App. No. 1 LOCATION OF WATER WELL: County: M. Polyson Distance and direction from nearest town or city street address of well if located within city? North of Frontier Koad on 14th AVENUE M. Paso Merchant Energy Company. RR#, St. Address, Box # Environmental Running Systems (decimal degrees, min. of 4 digit Latitude: 38° 40.193 = 38.336.5°) Longitude: 97°40.097 = 97.6683° WELLOWING CONDOCATION. City, State, ZIP Code : 200000000000000000000000000000000000	
Distance and direction from nearest town or city street address of well if located within city? NOTH of Frontier KOOD on 1445 AND UN DOCUMENT ROLL OF TOWN OF	i.
located within city? North of Frontier Koad on 14th Latitude: 38° 20.193 = 38,3365°	
ANIANI MC Marcon Vancac	s)
2 WATER WELL OWNER: El Paso Merchant Energy Company Elevation	KL_
WATER WELL OWNER: Committee of the Mary Heavation.	U
2 WATER WELL OWNER: El Paso reconate energy company Elevation:	
City. State. ZIP Code : 21 Euga Avenue, Room 52	_
CUICH GLAD SEASON MAN CO NOTICES 1//) = 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELLft.	
LOCATION WITH AN "X" IN Depth(s) Groundwater Encountered (1)	
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)	
N Pump test data: Well water wasft. after	
Est. Yieldgpm: Well water wasft. after hours pumpinggpm	
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	
W - NW NE - E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below	w)
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10 Monitoring well	
SW SE W	
	S
Sample was submitted	
S	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 9 Other (specify below) Welded Threaded Threaded	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	• • •
②PVC 4 ABS 7 Fiberglass	
Blank casing diameter in. to 34.5. ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft.	t.
Casing height above land surface	•••
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)	
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)	•
SCREEN OR PERFORATION OPENINGS ARE:	
(1) Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)	
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From	
SCREEN-PERFORATED INTERVALS: From	
From	t.
GRAVEL PACK INTERVALS: From	t.
From II to II from II to ++	
From ft. to ft., From ft. to ft.	
	ft
6 GROUT MATERIAL: Neat cement 2 Cement grout Bentonite 4 Other	
6 GROUT MATERIAL: ONeat cement 2 Cement grout Bentonite 4 Other	
6 GROUT MATERIAL: Neat cement 2 Cement grout 3 Bentonite 4 Other	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: Neat cement 2 Cement grout 6 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: Neat cement 2 Cement grout 6 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: Neat cement 2 Cement grout 6 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: Neat cement 2 Cement grout 6 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: ONeat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: Oleat cement 2 Cement grout 6 Bentonite 4 Other Grout Intervals: From	
6 GROUT MATERIAL: (Neat cement 2 Cement grout 6 Bentonite 4 Other	
6 GROUT MATERIAL: (Neat cement 2 Cement grout 6 Bentonite 4 Other	
6 GROUT MATERIAL: Obeat cement 2 Cement grout Bentonite 4 Other	
6 GROUT MATERIAL: Oleat cement 2 Cement grout 6 Bentonite 4 Other	l
6 GROUT MATERIAL: Oleat cement 2 Cement grout Bentonite 4 Other. Grout Intervals: From	top one



PO Box 5300

Norman, Oklahoma 73070

Phone: (405) 360-1434 FAX: (405) 360-1480

The purpose of the multi-level wells at McPherson was to monitor the vapors in the unsaturated zone at various depth intervals during a Soil Vapor Extraction Pilot Test to be conducted by our client, MWH Americas.