CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

(to rectify lacking or incorrect information)

| ` · · · | County: McPherson Location changed to: |
|---|--|
| Location listed as: | Location changed to: |
| Section-Township-Range: None Given | 5-205-3 W |
| Section-Township-Range: None Given Fraction (1/4 1/4 1/4): | NE SE SE |
| Other changes: Initial statements: | , |
| | |
| Changed to: | |
| , | |
| Comments: | |
| | |
| verification method: Latitude and longiti | ide, conversion tool on |
| verification method: <u>Latitude</u> and longitude KGS website, and mapping 7 | tool on KGS website. |
| , | initials: DRL date: <u>6/6/200</u> 0 |
| submitted by: Kansas Geological Survey, Data Resources Library, 1930 Cor | nstant Ave., Lawrence, KS 66047-3726 |
| to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jacks | son, Suite 420, Topeka, KS 66612-1367. |

| W | ATER WELL RECORD V MP 02 | B Form | WWC-5 | | Division of Water | r Resources; App. No. | | | |
|---|--|---|-------------------|------------|-------------------------|-----------------------|--|--|--|
| | LOCATION OF WATER WELL: | Fraction 1/4 | 1/4 | /4 | | Township Number T S | Range Number R E/W | | |
| | Distance and direction from nearest town or citocated within city? North of Frontier + | ty street addr | ess of well if | G | lobal Positioning | Systems (decimal degr | rees, min. of 4 digits) | | |
| | located within city? North of Frontier + | food on 14 | 1912 | 1 | Latitude: _38° | 20216 = 38 | 1.3369° N | | |
| | ANDRIVE MC Drugger H00505 | | | | | | | | |
| 2 | WATER WELL OWNER: EIPaso March | raut Energy | Company | F | Elevation: | | | | |
| | RR#, St. Address, Box # : El Paso Corpor | Rumediata | où Departmu | I الخدا | Datum: | | | | |
| | City, State, ZIP Code : a Boran Nevada | tolenue Room | m 432 | | Data Collection I | Method: | | | |
| 3 | WATER WELL OWNER: EIPOSO MUCH RR#, St. Address, Box # City, State, ZIP Code Environmutation: 2 borgen Nevada Colorado Spring: LOCATE WELL'S 4 DEPTH OF COM | PLETED WI | ELL | 8 | ft. | | | | |
| | LOCATION | | ~ | | | | | | |
| | WITH AN "X" IN Depth(s) Groundwater | X" IN Depth(s) Groundwater Encountered (1) | | | | | | | |
| | | WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr | | | | | | | |
| | | Pump test data: Well water wasft. after hours pumping gpm | | | | | | | |
| | Est. Yieldgpn | | | | | | | | |
| | WELL WATER TO B | | | | | | | | |
| W | | | | | | vatering 12 Otl | | | |
| | 2 Irrigation 4 Ind | iustriai / | Domestic (la | wn & | garden) (10) Mon | itoring well | | | |
| | SW SE Was a shaming 1/hastar | ialaaiaal aam | مادة مساده ماده | l to D | omoutesomt? Voa | No. | If you are /day/yma | | |
| | Was a chemical/bacter Sample was submitted | | | | | | | | |
| | Sample was submitted | • | ٠ ١ | valei | well distillected? | 165 NO | • • • • | | |
| _ | | T | 9. Canada 4 | | CACINIC | C IODITC CL . 1 | C11 | | |
| 3 | TYPE OF CASING USED: 5 Wrought | Iron -Cement | 8 Concrete 1 | nie | CASING | G JOINTS: Glued | _ | | |
| | 1 Steel 3 RMP (SR) 6 Asbestos (2)PVC 4 ABS 7 Fiberglass | | 9 Other (spe | city o | elow) | Threaded | | | |
| D1 | ank casing diameterin. to30. | ft Diam | otor | in | ft | Diameter | in to ft | | |
| Ca | sing height above land surface | in Weigl | 6161 ht | 111. 11 | s /ft Wall thi | ckness or mage No | 50000000000000000000000000000000000000 | | |
| | PE OF SCREEN OR PERFORATION MATE | | | 10 | 25./1t. Wa n tin | ckiess of guage 140. | | | |
| • | | glass Θ | PVC | 9 A F | BS | 11 Other (Specify) | | | |
| | 2 Brass 4 Galvanized Steal 6 Conc | | | | | 12 None used (open | | | |
| SC | REEN OR PERFORATION OPENINGS ARE | | () | | | (°P | | | |
| | Continuous slot 3 Mill slot 5 G | uazed wrappe | ed 7 Torch | cut | 9 Drilled holes | 11 None (open ho | ole) | | |
| | 2 Louvered shutter 4 Key punched 6 W | ire wrapped | 8 Saw C | Cut | 10 Other (specify | y) | | | |
| SC | REEN-PERFORATED INTERVALS: From. | <u>3</u> 0. | ft. to 3 5 | | ft., From | ft. to | ft. | | |
| | From. | | ft. to | <u>.</u> | ft., From | ft. to | ft. | | |
| | GRAVEL PACK INTERVALS: From. | | | | | | | | |
| | From. | • | ft. to | | ft., From | ft. to | ft. | | |
| 6 | GROUT MATERIAL: Neat cement 2 | Cement grout | Rentoni | te / | Other | | | | |
| Gr | out Intervals: From19. ft. to | and from | From | 37 n | to 29 ft | ., From | 5 ft to 38 ft | | |
| | hat is the nearest source of possible contaminat | ion: | 10111 | ., | | ., 110111 | 2 It. to | | |
| ••• | 1 Septic tank 4 Lateral lines | | 10 Li | vestoc | ck pens 13 Ins | ecticide Storage | 16 Other (specify | | |
| | 2 Sewer lines 5 Cess pool | 8 Sewage lag | | | | andoned water well | below) | | |
| | 3 Watertight sewer lines 6 Seepage pit | 9 Feedyard | _ | | U | l well/gas well | | | |
| Di | rection from well? | | How 1 | many | feet? | | | | |
| FR | OM TO LITHOLOGIC | LOG A | FR | .OM | TO | PLUGGING INT | ERVALS | | |
| | 0 38 Ked and Brown | Suts (1 | ay | | | | | | |
| | with Sand Layer | 5) | , | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 7 - | CONTRACTORS OF LANDOWNERS OF | DTIDICATO | ION, TI | n+ | vol1 vvo - 60 | | ad an (2)1 1 | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) | | | | | | | | | |
| Kansas Water Well Contractor's License No 551 This Water Well Record was completed on (mo/day/year) 04/24/06 | | | | | | | | | |
| under the business name of Sociation Francisco Must be signature of College & College | | | | | | | | | |
| INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top | | | | | | | | | |
| three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone | | | | | | | | | |
| 78: | 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at | | | | | | | | |

http://www.kdhe.state.ks.us/geo/waterwells.



PO Box 5300 Norman, Oklahoma 73070

Phone: (405) 360-1434 FAX: (405) 360-1480

The purpose of the multi-level wells at McPherson was to monitor the vapors in the unsaturated zone at various depth intervals during a Soil Vapor Extraction Pilot Test to be conducted by our client, MWH Americas.