CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: McPherson Location changed to:
Section-Township-Range: None Given	5-205-3 W
Fraction (1/4 1/4 1/4):	SE NE SE
Other changes: Initial statements:	·
Changed to:	
Comments:	
verification method: <u>Latitude</u> and longiti KGS website, and mapping 7	ude, conversion tool on tool on KGS website- initials: DRJ date: 6/6/2006
submitted by Vances Goolegical Surray, Data Resources Library, 1930 Con	, , , , ,

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	ATER WELL RECOR	D ALLIBOTOR	Form WWC	-5 Divisio	on of Water Resources;	App. No
1	LOCATION OF WATER		Fraction	Section N	Number Township	Number Range Number
	County: ME Pherson		1/4 1/4	1/4	T	S R E/W
	Distance and direction from	nearest town or cit	ty street address of w	ell if Global Po		ecimal degrees, min. of 4 digits)
	located within city? Norun	16 FLOWING	1 1000 Or 19%	Latitude	38 20 3	33 = 38.3370°N
_	Avenue Mª Phers	SOL KS	Frace Commence	Longitud		6 = 97,6679° W
Z	WATER WELL OWNER RR#, St. Address, Box # City, State, ZIP Code	El Paso Corporat	tion is confine	Elevation	n:	
	City State ZIP Code	Enironmental H	Remedication Depart	mere Datum:		
		CONDITION SOUTH	5. CO 70403	Data Co.	llection Method:	
3		EPTH OF COMP	PLETED WELL		ft.	
	LOCATION	1// 6 1 .	.	•	(0)	(0)
	WITH AN "X" IN Dept	h(s) Groundwater	Encountered (1).	tt.	(2) ft.	(3) ft.
	SECTION BOX: WEI					n mo/day/yr
						umping gpm pumping gpm
	l'l'wei		E USED AS: 5 Pub			11 Injection well
W	NW NE 1 D			d water supply		·
W						
	' '			()	9	
	SWSE Was	a chemical/bacteri	iological sample sub	mitted to Departmen	nt? Yes No	; If yes, mo/day/yrs
					nfected? Yes	
	S					
5	TYPE OF CASING USED:	5 Wrought I	fron 8 Con	crete tile	CASING JOINTS:	Glued Clamped
	1 Steel 3 RMP (SR)	_		r (specify below)		
	(2)PVC 4 ABS	7 Fiberglass				Welded Threaded
Bl	ank casing diameter	in. to 7.6	ft., Diameter	in. to	ft., Diameter	in_ toft.
	asing height above land surfac			lbs./ft.	Wall thickness or gu	nage No SCh.80
TY	YPE OF SCREEN OR PERFO		~			
	1 Steel 3 Stainless	,				Specify)
9.0	2 Brass 4 Galvanize		rete tile 8 RM (SI	R) 10 Asbestos-C	Cement 12 None u	sed (open hole)
SC	CREEN OR PERFORATION			lamah aust O Dmill	ad halaa 11 Nam	a (aman hala)
OContinuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
	2 Louvered shutter 4 K	ev nunched 6 W	ire wranned &	Saw Cut 10 Oth	er (specify)	
SC	2 Louvered shutter 4 Ke	ey punched 6 W ERVALS: From	ire wrapped 8	Saw Cut 10 Othe	er (specify)	ft to ft
SC	CREEN-PERFORATED INT	ERVALS: From From		3.4 ft.,	From	ft. to ft.
SC	CREEN-PERFORATED INT	ERVALS: From From		3.4 ft.,	From	ft. to ft.
SC	CREEN-PERFORATED INT	ERVALS: From From ERVALS: From		78.4	FromFrom	ft. to ft.
	CREEN-PERFORATED INTI	ERVALS: From From ERVALS: From From	79 ft. to ft. to 78 ft. to ft. to ft. to ft. to	78.4	From From From From From	ft. to ft ft ft. o ft ft. to ft.
6	GRAVEL PACK INTE	ERVALS: From From ERVALS: From From		78.4 ft., ft., 78.4 ft., entonite 4 Other	From From From From From	ft. to ft ft. to ft ft. to ft ft. to ft.
6 Gr	GRAVEL PACK INTEGROUT MATERIAL: (1) rout Intervals: From	ERVALS: From From ERVALS: From From Veat cement 2.0	79 ft. to ft. to 7.8 ft. to ft.	78.4 ft., ft., 78.4 ft., entonite 4 Other	From From From From From	ft. to ft ft ft. o ft ft. to ft.
6 Gr	GRAVEL PACK INTEGRATED INTEGRAVEL PACK INTEGRATER (1) GROUT MATERIAL: (1) rout Intervals: From hat is the nearest source of possible page 1.	ERVALS: From From ERVALS: From From Veat cement _2 (79 ft. to ft. to 7.8 ft. to ft.	7.4 ft., ft., ft., ft., ft., ft., ft., ft.,	From	ft. to
6 Gr	GRAVEL PACK INTE GROUT MATERIAL: out Intervals: From hat is the nearest source of po	ERVALS: From From ERVALS: From From Neat cement2.0	79 ft. to ft. The ft.	7.4 ft., ft., ft., ft., ft., ft., ft., ft.,	From	ft. to
6 Gr	GROUT MATERIAL: (1) GROUT MATERIAL: (1) rout Intervals: From hat is the nearest source of po 1 Septic tank 2 Sewer lines	ERVALS: From From ERVALS: From From Neat cement 20(21. ft. to	ft. to ft.	10 Livestock pens 11 Fuel storage	From	ft. to ft ft. to ft.
6 Gr W	GROUT MATERIAL: GROUT MATERIAL: cout Intervals: From hat is the nearest source of po 1 Septic tank 2 Sewer lines 3 Watertight sewer lines	ERVALS: From From ERVALS: From From Neat cement 20(21. ft. to) Possible contaminati 4 Lateral lines 5 Cess pool 6 Seepage pit	ft. to ft., From	ntonite 4 Other	From	ft. to ft ft. ft.
6 Gr W.	GROUT MATERIAL: (1 rout Intervals: From hat is the nearest source of po 1 Septic tank 2 Sewer lines 3 Watertight sewer lines rection from well?	ERVALS: From From ERVALS: From From Neat cement 20	79 ft. to ft. ft. ft. ft. ft. ft. ft. ft., From ft., From ft., From ft., From fon: 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of po 1 Septic tank 2 Sewer lines 3 Watertight sewer lines rection from well?	ERVALS: From From ERVALS: From From Neat cement 2.0 Ossible contaminati 4 Lateral lines 5 Cess pool 6 Seepage pit	ft. to ft.	ntonite 4 Other	From From	ft. to ft ft. ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement _2 (ft. to ft. ft. from ft., From ft. to ft. to ft. to ft. to ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement 2.0 Ossible contaminati 4 Lateral lines 5 Cess pool 6 Seepage pit	ft. to ft. ft. from ft., From ft. to ft. to ft. to ft. to ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement _2 ((2.1. ft. to	ft. to ft. ft. from ft., From ft. to ft. to ft. to ft. to ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement _2 ((2.1. ft. to	ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement _2 ((2.1. ft. to	ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement _2 ((2.1. ft. to	ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement _2 ((2.1. ft. to	ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement _2 ((2.1. ft. to	ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GRAVEL PACK INTE GROUT MATERIAL: Tout Intervals: From hat is the nearest source of portion of the second se	ERVALS: From From ERVALS: From From Neat cement _2 ((2.1. ft. to	ft. to	ft., ft., ft., ft., ft., ft., ft., ft.,	From From	ft. to ft.
6 Gr W	GROUT MATERIAL: GROUT MATERIAL: cout Intervals: From hat is the nearest source of portion of the second se	REVALS: From From From From Neat cement 20 Little Contaminating 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLOGIC Contaminating 1 Little Contam	The fit to fit	7.4 ft., 1.5 ft., 1.6 ft., 1.7 ft., 1.7 ft., 1.7 ft., 1.7 ft. to 7.8. 1.8 li Livestock pens 1.9 Fredilizer Storage 1.9 Fertilizer Storage 1.9 FROM TO	From	ft. to
6 Gr W	GROUT MATERIAL: GROUT MATERIAL: out Intervals: hat is the nearest source of portion of the second	PROVALS: From From From From Neat cement 20 Litto 10 Sible contaminati 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLOGIC	The fit to fit	10 Livestock pens 11 Fuel storage 12 Fertilizer Storage 14 FROM TO	From	ft. to
6 Gr W	GROUT MATERIAL: GROUT MATERIAL: cout Intervals: From hat is the nearest source of portion of the second se	PROWNER'S CE	RTIFICATION: Tday/year) OHOHO	10 Livestock pens 11 Fuel storage 12 Fertilizer Storage How many feet? FROM TO	From From From 13 Insecticide Sto 14 Abandoned was 15 Oil well/gas well PLUGG	ft. to ft ft. ft ft. ft. ft ft. ft. ft ft ft. ft ft ft. ft ft ft. ft ft ft ft. ft ft ft ft ft. ft
6 Gr W	GRAVEL PACK INTEGRATED INTEGRAVEL PACK INTEGRATIVE PACK INTEGRAVEL PACK INTEGRAVEL PACK INTEGRAVEL PACK INTEGR	RERVALS: From From From From From Neat cement 2.0 Lift. to Sible contaminati 4 Lateral lines 5 Cess pool 6 Seepage pit LITHOLOGIC LITHO	ft. to Cement grout ③Be ft., From on: 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG LOG LOG LOG CRTIFICATION: 7 day/year) OHOHO Di This Water	10 Livestock pens 11 Fuel storage 12 Fertilizer Storage How many feet? FROM TO This water well was of the water well Record was considered to the water well Record was considered to the water well was of the water well Record was considered to the water well Record was considered to the water well was of the water well Record was considered to the water well was of the water well Record was considered to the water well was of the water was of the water was of the water well was of the water was o	From From From	ft. to ft ft. ft ft. ft. ft ft. ft. ft ft ft. ft ft ft. ft ft ft. ft ft ft ft. ft ft ft ft ft. ft
6 Gr W	GROUT MATERIAL: GROUT MATERIAL: rout Intervals: From hat is the nearest source of portion of the second from the second	NDOWNER'S CE completed on (mo/s License No	RTIFICATION: Tday/year) OHOHO	intonite 4 Other	From From From	ift. to
FR Cun Ka	GROUT MATERIAL: GROUT MATERIAL: cout Intervals: From hat is the nearest source of portion of the second of	Neat cement 20	RTIFICATION: Tday/year) OHOHO	his water well was Well Record was converted with the standard was and this record was converted by Section, 1000 SW James 11 Supplementation of the standard was a supplementation of t	From From From	ift. to

http://www.kdhe.state.ks.us/geo/waterwells.



PO Box 5300 Norman, Oklahoma 73070

Phone: (405) 360-1434 FAX: (405) 360-1480

The purpose of the multi-level wells at McPherson was to monitor the vapors in the unsaturated zone at various depth intervals during a Soil Vapor Extraction Pilot Test to be conducted by our client, MWH Americas.